

Conversion

Conversion Chart

APPLICATION DATA

LOW & MEDIUM PRESSURE HOSE

HIGH PRESSURE HOSE

SPECIALTY HOSE

ACCESSORIES & ASSEMBLY INSTRUCTIONS

ADAPTERS & HOSE ENDS

HOSE ASSEMBLY EQUIPMENT

TECHNICAL DATA

	INCHES			INCHES			INCHES			INCHES		
	FRCTN.	DEC.	MM	FRCTN.	DEC.	MM	FRCTN.	DEC.	MM	FRCTN.	DEC.	MM
-	.0004	.0100	21/32	.6560	16.6690	1-3/4	1.7500	4.4500	3-1/16	3.0620	77.7880	
-	.0040	.1000	-	.6693	17.0000	-	1.7717	45.0000	-	3.0709	78.0000	
-	.0100	.2500	43/64	.6720	17.0660	1-25/32	1.7810	45.2440	3-3/32	3.0940	78.5810	
1/64	.0156	.3970	11/16	.6875	17.4630	-	1.8110	46.0000	-	3.1102	79.0000	
-	.0197	.5000	45/64	.7030	17.8590	1-13/16	1.8125	46.0380	3-1/8	3.1250	79.3750	
-	.0295	.7500	-	.7087	18.0000	1-27/32	1.8440	46.8310	-	3.1496	80.0000	
1/32	.0313	.7940	23/32	.7190	18.2560	-	1.8504	47.0000	3-5/32	3.1560	80.1690	
-	.0394	1.0000	-	.7283	18.5000	1-7/8	1.8750	47.6250	3-3/16	3.1875	80.9630	
3/64	.0469	1.1910	47/64	.7340	18.6530	-	1.8898	48.0000	-	3.1890	81.0000	
-	.0590	1.5000	-	.7480	19.0000	1-29/32	1.9062	48.4190	3-7/32	3.2190	81.7560	
1/16	.0620	1.5880	3/4	.7500	19.0500	-	1.9291	49.0000	-	3.2283	82.0000	
5/64	.0781	1.9840	49/64	.7656	19.4470	1-15/16	1.9375	49.2130	3-1/4	3.2500	82.5500	
-	.0787	2.0000	25/32	.7810	19.8440	-	1.9685	50.0000	-	3.2677	83.0000	
3/32	.0940	2.3810	-	.7874	20.0000	1-31/32	1.9690	50.0060	3-9/32	3.2810	83.3440	
-	.0984	2.5000	51/64	.7970	20.2410	2	2.0000	50.8000	-	3.3071	84.0000	
7/64	.1090	2.7780	13/16	.8125	20.6380	-	2.0079	51.0000	3-5/16	3.3120	84.1377	
-	.1181	3.0000	-	.8268	21.0000	2-1/32	2.0313	51.5940	3-11/32	3.3440	84.9314	
1/8	.1250	3.1750	53/64	.8280	21.0340	-	2.0472	52.0000	-	3.3464	85.0000	
-	.1378	3.5000	27/32	.8440	21.4310	2-1/16	2.0620	52.3880	3-3/8	3.3750	85.7250	
9/64	.1410	3.5720	55/64	.8590	21.8280	-	2.0866	53.0000	-	3.3858	86.0000	
5/32	.1560	3.9690	-	.8662	22.0000	2-3/32	20.9400	53.1810	3-13/32	3.4060	86.5190	
-	.1575	4.0000	7/8	.8750	22.2250	2-1/8	2.1250	53.9750	-	3.4252	87.0000	
11/64	.1720	4.3660	57/64	.8906	22.6220	-	2.1260	54.0000	3-7/16	3.4380	87.3130	
-	.1770	4.5000	-	.9055	23.0000	2-5/32	2.1560	54.7690	-	3.4646	88.0000	
3/16	.1875	4.7630	29/32	.9062	23.0190	-	2.1650	55.0000	3-15/32	3.4690	88.1060	
-	.1969	5.0000	59/64	.9220	23.4160	2-3/16	2.1875	55.5630	3-1/2	3.5000	88.9000	
13/64	.2030	5.1590	15/16	.9375	23.8130	-	2.2047	56.0000	-	3.5039	89.0000	
-	.2165	5.5000	-	.9449	24.0000	2-7/32	2.2190	56.3560	3-17/32	3.5310	89.6940	
7/32	.2190	5.5560	61/64	.9530	24.2090	-	2.2440	57.0000	-	3.5433	90.0000	
15/64	.2340	5.9530	31/32	.9690	24.6060	2-1/4	2.2500	57.1500	3-9/16	3.5620	90.4877	
-	.2362	6.0000	-	.9843	25.0000	2-9/32	2.2810	57.9440	-	3.5827	91.0000	
1/4	.2500	6.3500	63/64	.9844	25.0030	-	2.2835	58.0000	3-19/32	3.5940	91.2810	
-	.2559	6.5000	1	1.0000	25.4000	2-5/16	2.3120	58.7380	-	3.6220	92.0000	
17/64	.2656	6.7470	-	1.0236	26.0000	-	2.3228	59.0000	3-5/8	3.6250	92.0750	
-	.2756	7.0000	1-1/32	1.0312	26.1940	2-11/32	2.3440	59.5310	3-21/32	3.6560	92.8960	
9/32	.2810	7.1440	1-1/16	1.0620	26.9880	-	2.3622	60.0000	-	3.6614	93.0000	
-	.2953	7.5000	-	1.0630	27.0000	2-3/8	2.3750	60.3250	3-11/16	3.6875	93.6630	
19/64	.2970	7.5410	1-3/32	1.0940	27.7810	-	2.4016	61.0000	-	3.7008	94.0000	
5/16	.3120	7.9380	-	1.1024	28.0000	2-13/32	2.4060	61.1190	3-23/32	3.7190	94.4560	
-	.3150	8.0000	1-1/8	1.1250	28.5750	2-7/16	2.4380	61.9130	-	3.7401	95.0000	
21/64	.3280	8.3340	-	1.1417	29.0000	-	2.4409	62.0000	3-3/4	3.7500	92.2500	
-	.3350	8.5000	1-5/32	1.1560	29.3690	2-15/32	2.4690	62.7060	-	3.7795	96.0000	
11/32	.3440	8.7310	-	1.1811	30.0000	-	2.4803	63.0000	3-25/32	3.7810	96.0440	
-	.3543	9.0000	1-3/16	1.1875	31.1630	2-1/2	2.5000	63.5000	3-13/16	3.8125	96.8380	
23/64	.3590	9.1280	1-7/32	1.2190	30.9560	-	2.5197	64.0000	-	3.8189	97.0000	
-	.3740	9.5000	-	1.2205	31.0000	2-17/32	2.5310	64.2940	3-26/32	3.8440	97.6310	
3/8	.3750	9.5250	1-1/4	1.2500	31.7500	-	2.5590	65.0000	-	3.8583	98.0000	
25/64	.3910	9.9220	-	1.2598	32.0000	2-9/16	2.5620	65.0880	3-7/8	3.8750	98.4250	
-	.3937	10.0000	1-9/32	1.2810	32.5440	2-19/32	2.5940	65.8810	-	3.8976	99.0000	
13/32	.4060	10.3190	-	1.2992	33.0000	-	2.5984	66.0000	3-29/32	3.9062	99.2190	
-	.4130	10.5000	1-5/16	1.3120	33.3380	2-5/8	2.6250	66.6750	-	3.9370	100.0000	
27/64	.4220	10.7160	-	1.3386	34.0000	-	2.6380	67.0000	3-15/16	3.9375	100.0130	
-	.4331	11.0000	1-11/32	1.3440	34.1310	2-21/32	2.6560	67.4690	3-31/32	3.9690	100.8060	
7/16	.4380	11.1130	1-3/8	1.3750	34.9250	-	2.6772	68.0000	-	3.9764	101.0000	
29/64	.4530	11.5090	-	1.3779	35.0000	2-11/16	2.6875	68.2630	4	4.0000	101.6000	
15/32	.4690	11.9060	1-13/32	1.4060	35.7190	-	2.7165	69.0000	4-1/16	4.0620	103.1880	
-	.4724	12.0000	-	1.4173	36.0000	2-23/32	2.7190	69.0560	4-1/8	4.1250	104.7750	
31/64	.4840	12.3030	1-7/16	1.4380	36.5130	2-3/4	2.7500	69.8500	-	4.1338	105.0000	
-	.4920	12.5000	-	1.4567	37.0000	-	2.7559	70.0000	4-3/16	4.1875	106.3630	
1/2	.5000	12.7000	1-15/32	1.4690	37.3060	2-25/32	2.7810	70.6439	4-1/4	4.2500	107.9500	
-	.5118	13.0000	-	1.4961	38.0000	-	2.7953	71.0000	4-5/16	4.3120	109.5380	
33/64	.5156	13.0970	1-1/2	1.5000	38.1000	2-13/16	2.8125	71.4376	-	4.3307	110.0000	
17/32	.5310	13.4940	1-17/32	1.5310	38.8940	-	2.8346	72.0000	4-3/8	4.3750	111.1250	
35/64	.5470	13.8910	-	1.5354	39.0000	2-27/32	2.8440	72.2314	4-7/16	4.4380	112.7130	
-	.5512	14.0000	1-9/16	1.5620	39.6880	-	2.8740	73.0000	4-1/2	4.5000	114.3000	
9/16	.5630	14.2880	-	1.5748	40.0000	2-7/8	2.8750	73.0250	-	4.5275	115.0000	
-	.5710	14.5000	1-19/32	1.5940	40.4810	2-29/32	2.9062	73.8190	4-9/16	4.5620	115.8880	
37/64	.5790	14.6840	-	1.6142	41.0000	-	2.9134	74.0000	4-5/8	4.6250	117.4750	
-	.5906	15.0000	1-5/8	1.6250	41.2750	2-15/16	2.9375	74.6130	4-11/16	4.6875	119.0630	
19/32	.5940	15.0810	-	1.6535	42.0000	-	2.9527	75.0000	-	4.7244	120.0000	
39/64	.6090	15.4780	1-31/32	1.6562	42.0690	2-31/32	2.9690	75.4060	4-3/4	4.7500	120.6500	
5/8	.6250	15.8750	1-11/16	1.6875	42.8630	-	2.9921	76.0000	4-13/16	4.8125	122.2380	
-	.6299	16.0000	-	1.6929	43.0000	3	3.0000	76.2000	4-7/8	4.8750	123.8250	
41/64	.6406	16.2720	1-23/32	1.7190	43.6560	3-1/32	3.0312	76.9940	-	4.9212	125.0000	
-	.6496	16.5000	-	1.7323	44.0000	-	3.0315	77.0000	4-15/16	4.9375	125.4130	
									5	5.0000	127.0000	

Glossary

Alpha/Numeric

A

abrasion: external damage to a hose assembly caused by its being rubbed on a foreign object; a wearing away by friction.

ABS: Air-Brake Swivel absorption: regarding hose, the process of taking in fluid. Hose materials are often compared with regard to relative rates and total amounts of absorption as they pertain to specific fluids.

acid resistant: having the ability to withstand the action of identified acids within specified limits of concentration and temperature.

adapter, adaptor: 1) fittings of various sizes and materials used to change an end fitting from one type to another type or one size to another. (i.e., a male SAE to male pipe adapter is often attached to a female SAE to create a male end union fitting); **2)** the grooved portion of a cam & groove coupling.

adhesion: the strength of bond between cured rubber surfaces or between a cured rubber surface and a non-rubber surface.

adhesive: a material which, when applied, will cause two surfaces to adhere.

ambient temperature: the temperature of the atmosphere or medium surrounding an object under consideration.

ambient/atmospheric conditions: The surrounding conditions, such as temperature, pressure, and corrosion, to which a hose assembly is exposed.

amplitude of vibrations and/or lateral movement: the distance a hose assembly deflects laterally to one side from its normal position, when this deflection occurs on both sides of the normal hose centerline.

anchor: a restraint applied to eliminate motion and restrain forces.

annular: refers to the convolutions on a hose that are a series of complete circles or rings located at right angles to the longitudinal axis of the hose (sometimes referred to as "bellows").

anodize, anodized: an electrolytic process used to deposit protective or cosmetic coatings in a variety of colors on metal, primarily used with aluminum.

ANSI: American National Standards Institute.

Application working pressure: unique to customer's application. See pressure, working.

application: the service conditions that determine how a hose assembly will be used.

armor: a protective cover slid over and affixed to a hose assembly; used to prevent over bending or for the purpose of protecting hose from severe external environmental conditions such as hot materials, abrasion or traffic.

assembly: a general term referring to any hose coupled with end fittings of any style attached to one or both ends.

ASTM: American Society for Testing and Materials.

attachment: the method of securing an end fitting to a hose (e.g., banding, crimping, swaging, or screw-together 2 piece or 3 piece-style field attachable fittings).

axial movement: compression or elongation along the longitudinal axis.

B

backing: a soft rubber layer between a hose tube and/or cover and carcass to provide adhesion.

barb: the portion of a fitting (coupling) that is inserted into the hose, usually comprised of two or more radial serrations or ridges designed to form a redundant seal between the hose and fitting.

barbed and ferrule fitting: a two-piece hose fitting comprised of a barbed insert (nipple), normally with peripheral ridges or backward-slanted barbs, for inserting into a hose and a ferrule, usually crimped or swaged.

Barb-Tite: a line of low pressure push-on brass hose end fittings that is a Trademark of Eaton Corporation.

bend radius: the radius of a bent section of hose measured to the innermost surface of the curved portion.

bend radius, minimum: the smallest radius at which a hose can be used. For Metal Hose: - the radius of a bend measured to the hose centerline, as recommended by the manufacturer.

blister: a raised area on the surface or a separation between layers usually creating a void or air-filled space in a vulcanized article.

blow out force: the force generated from the internal pressure attempting to push the fitting from the hose.

body wire: normally a round or flat wire helix embedded in the hose wall to increase strength or to resist collapse.

bore: 1) an internal cylindrical passageway, as of a tube, hose or pipe; **2)** the internal diameter of a tube, hose, or pipe.

braid: the woven portion of a hose used as reinforcement to increase pressure rating and add hoop strength. Various materials such as polyester, cotton or metal wire are used. A hose may have one or more braids, outside or between layers of hose material.

braid wear: motion between the braid and corrugated hose, which normally causes wear on the outside diameter of the corrugation and the inside diameter of the braid.

braided ply: a layer of braided reinforcement.

braid-over-braid: multiple plies of braid having no separating layers.

brand: a mark or symbol identifying or describing a product and/or manufacturer, that is embossed, inlaid or printed.

brass: a family of copper/zinc alloys.

Glossary

Alpha/Numeric

brazing: a process of joining metals using a non-ferrous filler metal having a melting point that is lower than the "parent metals" to be joined, typically over +800°F.

bronze: an alloy of copper, tin and zinc.

BSPP/BSPT: British Standard Pipe Parallel / British Standard Pipe Tapered. See Fitting/Coupling - Pipe Thread Fittings.

C

carcass: the fabric, cord and/or metal reinforcing section of a hose as distinguished from the hose tube or cover.

chalking: the formation of a powdery surface condition due to disintegration of surface binder or elastomer by weathering or other destructive environments.

checking: the short, shallow cracks on the surface of a rubber product resulting from damaging action of environmental conditions.

chemical compatibility: the relative degree to which a material may contact another without corrosion, degradation or adverse change of properties.

chemical resistance: the ability of a particular polymer, rubber compound, or metal to exhibit minimal physical and/or chemical property changes when in contact with one or more chemicals for a specified length of time, at specified concentrations, pressure, and temperature.

cold flexibility: relative ease of bending while being exposed to specified low temperature.

collar: 1) the portion of a fitting that is compressed by crimping to seal the hose onto the fitting barbs and create a permanent attachment; also called a ferrule. (With field attachable fittings, the lock and seal are accomplished mechanically by the collar without crimping); **2)** a raised portion on the hose shank which functions as a connection for a ferrule or other locking device or functions as a hose stop.

collet: a tool or die-set used to crimp a hose end fitting onto a hose. A crimping die-set is typically six to eight "fingers" designed for infinite diameter settings within a range or preset to a specific diameter for a given hose type and size. Some may have a replaceable cage.

Coll-O-Crimp: a line of hydraulic and pneumatic hose, hose end fittings, and fabrication equipment that is a registered trademark of Eaton Corporation.

combustible liquid: a combustible liquid is one having a flash point at or above +100°F (37.8°C).

compound: the mixture of rubber or plastic and other materials, which are combined to give the desired properties when, used in the manufacture of a product.

compression fitting: see fitting/coupling - Compression

conductive: the ability to transfer electrical potential.

configuration: the combination of fittings on a particular assembly.

convoluted: description of hose or innercore having annular or helical ridges formed to enhance flexibility.

core: the inner portion of a hose, usually referring to the material in contact with the medium.

corrosion: the process of material degradation by chemical or electrochemical means.

corrosion resistance: ability of metal components to resist oxidation.

corrugated hose: hose with a carcass fluted, radially or helically, to enhance its flexibility or reduce its weight.

coupling: a frequently used alternative term for hose end fitting.

cover: the outer component usually intended to protect the carcass of a product.

CPE: chlorinated polyethylene, a rubber elastomer.

cracking: a sharp break or fissure in the surface, generally caused by strain and environmental conditions.

crimp diameter: the distance across opposite flats after crimping.

crimp/crimping: a hose end fitting attachment method utilizing a number of dies mounted in a radial configuration. The dies close perpendicular to the hose and fitting axis, compressing the collar, ferrule, or sleeve around the hose.

cure: the act of vulcanization. See vulcanization.

cut off factor: the hose length to be subtracted from the overall assembly length that allows for the hose coupling end connection extension beyond the end of the hose.

D

date code: any combination of numbers, letters, symbols or other methods used by a manufacturer to identify the time of manufacture of a product.

deburr: to remove ragged edges from the inside diameter of a hose end.

design factor: a ratio used to establish the working pressure of the hose, based on the burst strength of the hose.

displacement: the amount of motion applied to a hose defined as inches for parallel offset and degrees for angular misalignment.

DOT: Department of Transportation.

DIN: Deutsche Industrie Norme.

duplex assembly: an assembly consisting of two hose assemblies-one inside the other, and connected at the ends; also known as "jacketed assemblies."

durometer: an instrument for measuring the hardness of rubber and plastic compounds.

Glossary

Alpha/Numeric

E

eccentricity: the condition resulting from the inside and outside diameters not having a common center.

effusion: the escape, usually of gases, through a material. See permeation.

elastic limit: the limiting extent to which a body may be deformed and yet return to its original shape after removal of the deforming force.

elastomer: any one of a group of polymeric materials, usually designated thermoset, such as natural rubber, or thermoplastic, which will soften with application of heat.

elongation: the increase in length expressed numerically as a percentage of the initial length.

EN: European Normes

ERMETO: a steel fitting product trademarked by Eaton Corporation.

endurance test: a service or laboratory test, conducted to product failure, usually under normal use conditions.

EPDM: Ethylene Propylene Diene Monomer; an elastomer.

extrude/extruded/extrusion: forced through the shaping die of an extruder; extrusion may have a solid or hollow cross section.

F

fabric impression: impression formed on the rubber surface during vulcanization by contact with fabric jacket or wrapper.

fabricator: the producer of hose assemblies.

fatigue: the weakening or deterioration of a material occurring when a repetitious or continuous application of stress causes strain, which could lead to failure.

FDA: United States Food and Drug Administration.

fire sleeve: slip-on or integrally extruded sleeve used to retard the effects of fire in certain applications; most often made with silicone and/or ceramic fiber.

fitting/coupling: a device attached to the end of the hose to facilitate connection.

The following is only a partial list of types of fittings available-

- **Banjo Fitting:** a through bolted designed featuring a hollow circle or "donut" attached to one end of the fitting barb so that the inner diameter is along the hose axis.

- **Compression Fitting:** a fitting style that seals on a mating tube by compressing an internal ferrule against the tube O.D..

- **Field Attachable Fitting:** a fitting designed to be attached to hose without crimping or swaging. This fitting is not always a Reusable type fitting.

- **Flange Style Fittings:** pipe flanges and flanged fitting standards are listed

under ANSI B16.5. Flanges are rated for pressure and listed as "American Class 150, 300, 400, 600, 900, 1,500 or 2,500". Pressure-Temperature ratings can be obtained by consulting the ANSI specification or ASME B16.5 (American Society of Mechanical Engineers). Designs vary by neck and face style, or other dimensional changes based on use. Various finishes or grooves may be applied to the face for sealing on a gasket or o-ring. Bolt holes and other dimensions are per the ANSI standard.

- **Inverted Flare Fitting:** a fitting consisting of a male or female nut, trapped on a tube by flaring the end of the tube material to either 37° or 45°.

- **JIC Fittings:** joint Industrial Council (no longer in existence). An engineering group that established an industry standard fitting design incorporating a 37° mating surface, male and female styles. These standards are now governed by SAE.

- **O-ring Fittings:** a fitting that seals by means of an elastomeric ring of a specified material.

Pipe Thread Fittings:

- **NPT:** National Pipe Taper. Pipe thread per ANSI B1.20.1

- **NPTF:** National Pipe Tapered for Fuels. (Same as above except dry-seal per ANSI B1.20.3)

- **NPSH:** National Pipe Straight Hose per ANSI B1.20.7

- **NPSM:** National Pipe Straight Mechanical. Straight thread per ANSI B1.20.1

- **NPSL:** National Pipe Straight Loosefit per ANSI B1.20.1

- **BSPP, BSPT:** British Standard Pipe Parallel, British Standard Pipe Taper. BS21-

- **Quick Connect Fitting:** a fitting designed to quickly connect and disconnect. These fittings come in many styles and types.

- **Split Flange Fitting:** a fitting consisting of a flange retainer and a flange of two halves. This design allows the flanges to be installed after the retainer has been attached to the hose, making the flange reusable. SAE Code 61 and 62.

- **Tube Fitting:** a hose fitting of which the mating end conforms to a tube diameter. The mate or male end of a compression fitting.

flammable gases/liquid/media: a flammable gas, including liquefied gas, is one having a closed cup flash point below +100°F (+37.8°C) and a vapor pressure greater than 25 psi. (174.2 KPa).

flex cracking: a surface cracking induced by repeated bending and straightening.

flow rate: a volume of media being conveyed in a given time period.

fluid: a gas or liquid medium.

Glossary

Alpha/Numeric

fluorocarbon: an organic compound containing fluorine directly bonded to carbon. The ability of the carbon atom to form a large variety of structural chains gives rise to many fluorocarbons and fluorocarbon derivatives.

FOR-SEAL: a product name for a hose end configuration using an o-ring sealing method, trademarked by Eaton Corporation.

G

GPM: gallons per minute.

H

heat resistance: the property or ability to resist the deteriorating effects of elevated temperatures.

helix: a shape formed by spiraling a wire or other reinforcement around the cylindrical body of a hose; typically used in suction hose.

hose: a flexible conduit consisting of a tube, reinforcement, and usually an outer cover.

hydrostatic testing: the use of liquid pressure to test a hose or hose assembly for leakage, twisting, and/or hose change-in-length.

Hytrel: a DuPont registered trademark.

I

I.D.: the abbreviation for inside diameter.

identification yarn: a yarn of single or multiple colors, usually embedded in the hose wall, used to identify the manufacturer.

impression: a design formed during vulcanization in the surface of a hose by a method of transfer, such as fabric impression or molded impression.

impulse: an application of force in a manner to produce sudden strain or motion, such as hydraulic pressure applied in a hose.

innertube: the innermost layer of a hose; the hose material in contact with the medium.

insert: optional term for nipple. See nipple.

interlocking clamp: a clamp which engages the fitting in a manner which prevents the clamp from sliding off the fitting, typically a bolt or U-bolt style with interlocking fingers which engage an interlock ring on the fitting.

interlocking ferrule: a ferrule, which physically attaches to the fitting preventing the ferrule from sliding off the fitting.

ISO: International Organization for Standardization.

J

jacket: a seamless tubular braided or woven ply generally on the outside of a hose.

JIC: see fitting/coupling-JIC.

K

kinking: a temporary or permanent distortion of the hose induced by bending beyond the minimum bend radius.

L

layline: the line of printed information that runs parallel on the side of a manufactured hose giving details such as part number, PSI rating, hose size and manufacturing data.

layer: a single thickness of rubber or fabric between adjacent parts.

loop installation: the assembly is installed in a loop or "U" shape, and is most often used when frequent and/or large amounts of motion are involved.

LPG, LP Gas: the abbreviation for liquefied petroleum gas.

M

MAWP: see pressure, maximum allowable working.

mandrel built: a hose fabricated and/or vulcanized on a mandrel.

manufacturer's identification: a code symbol used on or in some hose to indicate the manufacturer.

media, medium: the substance(s) being conveyed through a system.

N

NAHAD: the abbreviation for the National Association of Hose & Accessories Distributors.

Neoprene®: a registered trademark of DuPont.

nipple: the internal member or portion of a hose fitting.

nitrile rubber (NB/Buna-N): a family of acrylonitrile elastomers used extensively for industrial hose.

nominal: a size indicator for reference only.

nomograph: a chart used to compare hose size to flow rate to recommended velocity.

non-conductive: the inability to transfer an electrical charge.

NPT/NPTF: abbreviation for national pipe threads. See fitting/coupling - Pipe Thread Fittings.

nylon: a family of polyamide materials.

O

OAL: see overall length

O.D.: the abbreviation for outside diameter.

OE/OEM: original equipment manufacturer.

oil resistance: the ability of the materials to withstand exposure to oil.

oil swell: the change in volume of a rubber article resulting from contact with oil.

operating conditions: the pressure, temperature, motion, and environment to which a hose assembly is subjected.

o-ring fitting: see fitting/coupling, O-Ring.

overall length (OAL): the total length of a hose assembly, which consists of the free hose length plus the length of the coupling(s).

oxidation: the reaction of oxygen on a material, usually evidenced by a change in the appearance or feel of the surface or by a change in physical properties.

Glossary

Alpha/Numeric

ozone cracking: the surface cracks, checks or crazing caused by exposure to an atmosphere containing ozone.

ozone resistance: the ability to withstand the deteriorating effects of ozone (generally cracking).

P

permanent fitting: the type of fitting which, once installed, may not be removed for re-use.

permeation: the process of migration of a substance into and through another, usually the movement of a gas into and through a hose material; the rate of permeation is specific to the substance, temperature, pressure and the material being permeated.

pin pricked: perforations through the cover of a hose to vent permeating gases.

pitch: 1) the distance from one point on a helix to the corresponding point on the next turn of the helix, measured parallel to the axis; **2)** the distance between the two peaks of adjacent corrugation or convolution.

plating: a material, usually metal, applied to another metal by electroplating, for the purpose of reducing corrosion; typically a more noble metal such as zinc is applied to steel.

ply: an individual layer in hose construction.

polymer: a macromolecular material formed by the chemical combination of monomers, having either the same or different chemical compositions.

pressure: force ÷ unit area. For purposes of this document, refers to PSIG (pounds per square inch gauge).

pressure drop: the measure of pressure reduction or loss over a specific length of hose.

pressure, burst: the pressure at which rupture occurs.

pressure, maximum allowable working: the maximum pressure at which a hose or hose assembly is designed to be used.

pressure, working: the maximum pressure to which a hose will be subjected, including the momentary surges in pressure, which can occur during service. Abbreviated as WP.

psi (PSI): pounds per square inch.

PTFE: polytetrafluoroethylene, a high molecular weight fluoroplastic polymer with carbon atoms shielded by fluorine atoms having very strong inter atomic bonds, giving it chemical inertness.

PVC: polyvinyl chloride. A low cost thermoplastic material typically used in the manufacture of industrial hoses. The operating temperature range is -500°F to +1750°F (-295.5°C to +954.4°C).

R

reinforcement: the strengthening members, consisting of either fabric, cord, and/or metal, of a hose. See ply.

reusable fitting/coupling: see fitting/coupling, Field Attachable Fittings.

RhinoHide: a product's name for an abrasion resistant covered hydraulic hose that is a registered trademark of Eaton Corporation.

RMA: The Rubber Manufacturers Association, Inc.

S

SAE: Society of Automotive Engineers.

shank: that portion of a fitting, which is inserted into the bore of a hose.

skive: the removal of a short length of cover and/or tube to permit the attachment of a fitting directly over the hose reinforcement.

sleeve: a metal cylinder, which is not physically attached to the fitting, for the purpose of forcing the hose into the serrations of the fitting.

smooth bore: a term used to describe the type of inner-core in a hose.

specification: a document setting forth pertinent details of a product.

spiral: a method of applying reinforcement in which there is not interlacing between individual strands of the reinforcement.

spring guard: a helically wound component applied internally or externally to a hose assembly, used for strain relief, abrasion resistance, collapse resistance.

standard: a document, or an object for physical comparison, for defining product characteristics, products, or processes, prepared by a consensus of a properly constituted group of those substantially affected and having the qualifications to prepare the standard for use.

static wire: wire incorporated in a hose to conduct static electricity.

stem: see nipple.

Sub-Zero: a product's name for a low temperature resistant hose that is a registered trademark of Eaton Corporation.

surge (spike): a rapid and transient rise in pressure.

swelling: an increase in volume or linear dimension of a specimen immersed in liquid or exposed to a vapor.

T

Thick-Flange: a product's name for a hose end fitting that is trademarked by Eaton Corporation.

tube: the innermost continuous all-rubber or plastic element of a hose.

tube fitting: see fitting/coupling-Tube.

tubing: a non-reinforced, homogeneous conduit, generally of circular cross-section.

Glossary

Alpha/Numeric

V

vacuum resistance: the measure of a hoses ability to resist negative gauge pressure.

vibration: amplitude motion occurring at a given frequency.

viscosity: the resistance of a material to flow.

vulcanization: a process during which a rubber compound, through a change in its chemical structure, improves or extends elastic properties over a greater range of temperature.

W

weathering: the surface deterioration of a hose cover during outdoor exposure, as shown by checking, cracking, crazing and chalking.

wire reinforced: a hose containing wires to give added strength, increased dimensional stability; crush resistance. See reinforcement.

working temperature: the temperature range of the application, may include the temperature of the fluid conveyed or the environmental conditions the assembly is exposed to in use.

WP: the abbreviation for working pressure.

The preceding Glossary of Terms, as utilized in the hose industry, includes some definitions from The Hose Handbook, published by the Rubber Manufacturers Association.

Index

Alpha/Numeric

A1900-A1919.....	78	C3169.....	244	C5425.....	289
A-2103.....	402	C3179.....	245	C5455.....	292
A2900-A2919.....	78	C3209.....	246	C5505.....	289
A4900-4908.....	79	C3239.....	246	C5506.....	292
A4910.....	79	C3249.....	247, 307	C5515.....	294
A4926-A4930.....	100	C3269.....	246, 307	C5525.....	291
A5953-A5987.....	80	C3309.....	247	C5605.....	299
A6900W.....	80	C3359.....	250	C5655.....	300
A6908-A6948.....	80	C3409.....	251	C5705.....	296
A9900-9905.....	79	C3469.....	252	C5706.....	298
AB-140.....	422	C3509.....	251	C5707.....	300
AB-1400.....	422	C3529.....	253	C5715.....	301
AB-28.....	424	C3559.....	250	C5716.....	299
AB-45.....	424	C3609.....	254	C5726.....	298
AB-8.....	407	C3709.....	254	C5755.....	296
AB-8L.....	407	C3759.....	255	C5880.....	283
AB-8X.....	407	C3959.....	256	C5924.....	277
AB-9.....	407	C-40X.....	399	C-5X.....	400, 411
AB-9L.....	407	C4205.....	247	C-63X.....	411
AB-9X.....	407	C5015.....	278	C9200.....	314
BA-24.....	421	C5105.....	277	C9240.....	314
BA-28.....	421	C5115.....	277	CA-10X.....	407
BA-38.....	421	C5125.....	277	CA-130.....	407
BA-48.....	421	C5129.....	278	CA-230.....	407
BA-56.....	421	C5165.....	276, 308, 411	CA-50.....	414
BA-84.....	420	C5205.....	281	CA-50-60A.....	414
BF-40.....	417	C5216.....	287	CA-50-CO.....	414
BF-41.....	417	C5229.....	278	CA-50-NH.....	414
BF-42.....	418	C5255.....	282	CK12.....	198
BF-43.....	418	C5256.....	284	CK16.....	198
BK12.....	198	C5275.....	282	CK20.....	198
BK16.....	198	C5305.....	279	CK24.....	198
BK20.....	198	C5306.....	280	CK32.....	198
BK24.....	198	C5314.....	306	CL-434.....	408
BK32.....	198	C5315.....	284	CL-502.....	411
BL-456.....	409	C5316.....	283	DC-121.....	419
BL-456X.....	409	C5325.....	280	EJ3158.....	230
C3059.....	244	C5355.....	286	ET1000.....	386-387
C3069.....	248	C5356.....	287	ET1000-001.....	386
C3109.....	245	C5365.....	288	ET1000-002.....	386
C3159.....	245	C5405.....	290	ET1000-003.....	386

Index

Alpha/Numeric

ET1000-004	386	FF90277	349	FJ3731	225	H190H	53
ET1000-AR-001	386, 393	FF90308	97	FJ3734	236	H1981/H1982	67
ET1000C-0001	386	FF90311	104	FJ3801	236	H1987	71
ET1000C-0006	386	FF90319	354	FJ3804	235	H201	65
ET1000C-0012	388, 394	FF90384	339	FJ3890	229	H209	43
ET1000PK-001	386	FF90467	349	FJ3891	229	H213	39
ET1000PK-002	386	FF90519	102	FJ3892	228	H229	39
ET1000PK-003	386	FF90520	102	FJ3914	235	H239	40
ET1000SR-M100A	388	FF90521	102	FJ3970	236	H243	76
ET1000SR-M190D	388	FF90522	102	FJ5984	217	H245	54
ET1000TP-0001	388	FF90523	102	FJ5985	218	H265	65
ET400	383, 393	FF90524	102	FJ5986	233	H275	66
ET4000	383-384, 393	FF90525	102	FJ5994	227	H277	77
ET4000-002	383	FF90625	102	FJ5995	233	H280	54
ET4000-004	383	FF90645	402	FL-310	408	H290	55
ET4000-006	383	FF9872-04	238	FL-310X	408	H290H	55
ET4000AR	383	FFD90646	402	FS-100	402	H290L	50
ET4000CC-W1	393	FH-135X	399	FS-1100	390, 402	H324	48
ET4000DC-4SXX	392	FH-15X	399, 410	FS-1200	390, 402	H32406	435
ET4000DC-6SXX	392	FH-40X	399	FS-1500	390, 402	H325	56
ET4000DC-MXXXS	389	FH-72X	400	FS-1600	402	H332	44
ET4000SR	394	FJ3012	220	FS-1800	391, 402	H335	75
ET4000TP-0001	383	FJ3013	221	FS-200	402	H336	75
ET4000TP-002	383	FJ3019	223	FS-2000	402	H338	49
ET400DC-MXXXS	388-389	FJ3026	224	FS-2200	402	H33806	410
ET400SR-002	388	FJ3045	232	FS-2300	402	H345	56
ET400SR-003	388	FJ3047	221	FS-2400	402	H350	57
ET400TP-0001	388	FJ3052	222	FS-2500	402	H366	46
ET420	374-375, 387, 393	FJ3053	218	FS-2800	402	H400	58
ET420DC-MXXXS	389	FJ3054	218	FS-2900	390, 402	H421	50
ET420SR-MXXXA	388	FJ3055	217	FS-300	402	H425	57
ET440TP-0001	388	FJ3056	224	FS-3100	391, 402	H429	40
FA-100	410	FJ3057	225	FS-3200	360	H430	58
FA-100-CO	410	FJ3058	232	FS-3200	402	H430R	59
FA-135	413	FJ3059	225	FS-3300	402	H435/H435 Twin	73
FA-135-10B	413	FJ3066	234	FS-3500	391, 402	H436/H436 Twin	74
FA-135-CO	413	FJ3067	230	FS-400	402	H464	60
FA-135-NH	413	FJ3111	228	FS-500	402, 409	H470	60
FA-15	412	FJ3112	229	FS-600	402	H485	61
FA-15-80	412	FJ3113	229	FS-700	402	H545	61
FA-15-CO	412	FJ3116	222	FS-800	402	H569	49
FA-15-NH	412	FJ3131	223	FT1355	97	H6002	63
FF12139	409	FJ3132	223	FT1357	238, 409	H6008	62
FF12228-FF12229	349	FJ3133	226	FT1417	238	H6009	62
FF12230-FF12231	349	FJ3134	223	GA23911	227	H757	45
FF12262	237	FJ3135	224	GA23912	227	H8679	71
FF13267-FF13273	99	FJ3136	228	GH134	239	H900	72
FF13502-FF13503	101	FJ3149	226	GH134W	45	H9622	63
FF13570-FF13571	99	FJ3161	227	H009	42	H9949	66
FF162	253	FJ3162	219	H0105	69	HA-574	410
FF1851T	265	FJ3163	221	H0106	69	HC-574X	410
FF2281T	267	FJ3171	233	H017	47	HD-1X	400, 410
FF3038	340	FJ3192	228	H039	41	HD-2X	401
FF3042	340	FJ3225	230	H039H	41	HK0509-HK3817	103
FF3044	343	FJ3226	231	H057	37	HP4-HP12	98
FF3046	340	FJ3230	220	H05703-H05706	410	HPM	98
FF3056	341	FJ3274	230	H05704	408	HSM-48	98
FF3061	344	FJ3288	218	H05705	408	KE12N-112	198
FF3065	344	FJ3289	221	H05706	408	IKE16N-116	198
FF3067	344	FJ3319	227	H059	46	IKE20N-120	198
FF3089	341	FJ3363	219-220	H069	36	IKE24N-124	198
FF3093	341	FJ3365	220	H069XX	410	IKE32N-132	198
FF3178	348	FJ3366	226	H077	37	K12	198
FF3218	348	FJ3408	217	H100	42	K12N-112	198
FF3236	342	FJ3409	228	H101	43	K16	198
FF3246	342	FJ3416	219	H10104	409	K16N-116	198
FF3284	345	FJ3427	234	H10105	409	K20	198
FF3286	345	FJ3428	234	H10106	409	K20N-120	198
FF3318T	343	FJ3444	222	H104	47	K24	198
FF3362	342	FJ3460	222	H114	51	K24N-124	198
FF3412	343	FJ3461	219	H115	68	K32	198
FF3503	346	FJ3495	230	H116	68	K32N-132	198
FF3505	346	FJ3496	233	H13004-H13006	88	M41157	314
FF3507	346	FJ3508	225	H145	51	M7629	243, 309, 411
FF3509	347	FJ3509	226	H145R	52	M7630	309
FF3511	347	FJ3510	231	H146	52	M9600	312, 411
FF3513	347	FJ3511	231	H1571	64	M9700	309, 411
FF5163	293	FJ3513	232	H166	38	M9800	312, 411
FF5164	293	FJ3514	232	H166XX	410	MA-100	411
FF90178	216	FJ3568	231	H169	48	MA-200	412
FF90192	238	FJ3611	224	H1719	70	MB5315	311, 411
FF90193	238	FJ3623	234	H1776/H1777	64	MB5515	313, 411
FF90202	339	FJ3624	235	H1812	70	MB7626x	243
FF90241	349	FJ3632	217	H190	53	MB7629	313

APPLICATION DATA
 LOW & MEDIUM PRESSURE HOSE
 HIGH PRESSURE HOSE
 SPECIALTY HOSE
 ACCESSORIES & ASSEMBLY INSTRUCTIONS
 ADAPTERS & TUBE HOSE ENDS
 HOSE ASSEMBLY EQUIPMENT
 TECHNICAL DATA

Index

Alpha/Numeric

MB7630.....	313	388, 392, 394, 398	T-410-10.....	388, 393-394	T-440-81R.....	394
MC3069.....	310	T-400-102C.....	390	T-410-11.....	394-394	T-440-82R.....	388, 394
MC3159.....	310	T-400-103C.....	390	T-410-12.....	394	T-440-85C.....	389
MC3309.....	310	T-400-104.....	390	T-410-1M.....	383	T-440-86C.....	388-389
MC5019.....	285, 305	T-400-105C.....	391	T-410-22.....	382-383	T-441.....	383, 396
MC5205.....	311, 411	T-400-106C.....	391	T-410-25.....	383, 393	T-450/T-465.....	369
MC5206.....	305, 411	T-400-107C.....	391	T-410-26.....	383	T-450-3.....	368
MC5207.....	305, 411	T-400-108C.....	391	T-410-26R.....	383	T-450-C.....	369
MC5208.....	305, 411	T-400-11.....	360, 379, 382, 392, 394, 398	T-410-27.....	393	T-450-D1.....	369
MC5315.....	308, 411	T-400-112.....	388, 394	T-410-28.....	383	T-450-K.....	369
MC5405.....	312, 411	T-400-113C.....	390	T-410-39.....	388, 394	T-450-P.....	369
MC5515.....	309, 411	T-400-114.....	360, 391	T-410-40.....	394	T-450-Q.....	369
MH7105.....	304, 411	T-400-12.....	390	T-410-41.....	388, 393	T-460.....	369, 371, 372
ML7105.....	304, 411	T-400-120C.....	391	T-410-42.....	388	T-460-10B.....	369
NK12.....	198	T-400-121C.....	391	T-410-46R.....	394	T-460-10BB.....	369, 401
NK16.....	198	T-400-122C.....	391	T-410-47R.....	394	T-460-16.....	371
NK20.....	198	T-400-123C.....	391	T-410-4CN.....	383, 391	T-460-2.....	368, 371, 397
NK32.....	198	T-400-129.....	391	T-410-50.....	434	T-460-P.....	371
PB.....	401	T-400-13.....	380, 393	T-410-52.....	434	T-460-SF.....	371
PC-48.....	419	T-400-137.....	390	T-410-53.....	434	T-460-SP.....	371
PD-15.....	399	T-400-14.....	380, 393	T-410-54.....	434	T-460-SPR.....	371
PD-20.....	399	T-400-15.....	393	T-410-55.....	434	T-460-TR.....	401
PD-40.....	399	T-400-16.....	379	T-410-56.....	434	T-462.....	371, 373
PD-49.....	411	T-400-17.....	360	T-410-5CN.....	383, 391	T-462-2.....	397
PD-75.....	411	T-400-17P.....	360	T-410-6CN.....	383, 391	T-462-V.....	371
PD-95.....	399	T-400-18.....	379	T-410-70.....	391	T-464.....	371
QC-18.....	423	T-400-19.....	380	T-410-71C.....	392	T-465.....	368
QC-180.....	423	T-400-20A.....	360	T-410-7CN.....	383, 391	T-465 HPU80.....	368
QC-1800.....	423	T-400-2C.....	360, 368, 371, 379, 382, 390, 392, 398	T-410-80.....	391	T-465-1.....	370
R12-ZXX.....	132	T-400-30.....	390	T-410-8N.....	383, 391	T-465-HP.....	368
RG-24.....	408	T-400-31C.....	390	T-410-93.....	388, 394	T-465-HP80.....	368
SA-1.....	425	T-400-32C.....	390	T-410-9N.....	383, 391	T-465-HPU.....	368
SA-2.....	425	T-400-33C.....	390	T-410-BB.....	383	T-465-TB.....	369
SFK62-XX.....	333	T-400-34C.....	390	T-410-P.....	383	T-466.....	371
SFK-XX.....	331	T-400-35C.....	390	T-412.....	380	T-470-12C.....	391
SR3100W.....	409	T-400-36C.....	390	T-414.....	380	T-470-16C.....	391
SS-85.....	416	T-400-37.....	388, 394	T-420.....	374-375, 382, 384-385, 387	T-470-20.....	391
SS-86.....	416	T-400-38.....	394	T-420-1.....	382	T-470-24.....	391
SS-87.....	416	T-400-3C.....	360, 368, 371, 379, 382, 390, 392, 398	T-420-10C.....	391	T-470-8C.....	391
SS-88.....	417	T-400-45R.....	394	T-420-11.....	391	T-475.....	361
T-101A.....	427	T-400-46R.....	388, 394	T-420-14.....	393	T-475-1.....	361-362
T-1037.....	430	T-400-47R.....	394	T-420-14NS.....	393	T-475-105C.....	361-363
T-1037B.....	430	T-400-48R.....	388, 394	T-420-1M.....	382	T-475-106C.....	361, 363
T-1037H.....	430	T-400-49R.....	388	T-420-25.....	377, 382, 392-393	T-475-107C.....	361, 363
T-1042.....	429	T-400-4C.....	360, 368, 371, 379, 382, 390, 392, 398	T-420-26.....	382	T-475-108C.....	361, 363
T-1047.....	428-429	T-400-5C.....	360, 379, 382, 390, 392, 398	T-420-28.....	382	T-480.....	374-378
T-1047-1.....	428-429	T-400-5XC.....	390	T-420-29.....	388, 394	T-480-16.....	376
T-1060.....	429	T-400-62.....	368, 371, 379, 382, 388, 392, 394	T-420-2K.....	382	T-480-17.....	376
T-1060A.....	428-429	T-400-64C.....	390, 392	T-420-2R.....	382	T-480-18.....	376
T-1070.....	429	T-400-66.....	390	T-420-2S.....	382	T-480-2.....	374, 376, 386, 397
T-1071.....	429	T-400-67.....	390	T-420-4CN.....	382, 391-392	T-480-3.....	375-375, 397
T-1072.....	429	T-400-6C.....	360, 379, 382, 390, 392, 398	T-420-5CN.....	382, 391-392	T-480-68.....	374, 375, 388, 394
T-10B.....	428	T-400-6XC.....	390	T-420-6CN.....	382, 391-392	T-480-69.....	376
T-10B-1.....	428	T-400-70.....	390	T-420-70.....	391	T-480-80.....	392
T-10C.....	428	T-400-8.....	360, 379-381, 393, 398	T-420-7CN.....	382, 391-392	T-480-AH.....	374, 377
T-10-D.....	428	T-400-8XC.....	390	T-420-80.....	391	T-480-EP.....	375, 377
T-10-H.....	428	T-400-9.....	380	T-420-80R.....	394	T-480-HP.....	374, 377
T-10-P.....	428	T-400-90.....	380, 393	T-420-81R.....	394	T-480-P.....	376
T-10-V1.....	428	T-400-B.....	380	T-420-82R.....	388, 394	T-480-PSK.....	376
T-1106.....	433	T-400-BB.....	380	T-420-85C.....	389	T-480-SFK.....	376
T-1110.....	433	T-400-DE60.....	398	T-420-86C.....	388-389	T-480-SP.....	376
T-1116.....	433	T-400-G.....	380, 383, 386-387, 393	T-420-8C.....	391	T-480-SPK.....	376
T-1124.....	433	T-400-GT.....	398	T-420-9C.....	391	T-480-SPR.....	376
T-1132.....	433	T-400-GTK.....	398	T-420-G.....	382	T-480-TA.....	375, 377
T-1290.....	406	T-400-K1.....	380	T-420-H.....	382	T-480-TBK.....	376
T-1295.....	406	T-400-M.....	380	T-420-L.....	382	T-481-110.....	375, 376, 386, 395
T-135.....	409, 430	T-400-MSP.....	360	T-420-LA.....	382	T-482-2.....	374, 376, 386, 395
T-135/T-135B.....	238	T-400-NP60.....	398	T-420-LS.....	382	T-5002 - T-5032.....	432
T-135B.....	409, 430	T-400-N.....	382	T-420-N.....	382	T-5102 - T-5132.....	432
T-138.....	430	T-400-PH.....	398	T-420N-110.....	382	T-570-1.....	431
T-138B.....	430	T-400-PHK.....	398	T-420-P.....	382	T-60A.....	428
T-139.....	434	T-400-S.....	380	T-420-S.....	382	T-70.....	429
T-139P.....	434	T-401.....	379	T-421-FP.....	383, 395-397	T-7002 - T-7032.....	316, 431
T-152.....	434	T-401-1.....	397	T-421U.....	379, 382, 396	T-75-11.....	429
T-152P.....	434	T-401-110.....	379	T-421U-110.....	379, 382, 396	T-75-12.....	429
T-191.....	430	T-401-1BC.....	397	T-421U-BC.....	382, 396	T-75-14.....	429
T-191B.....	430	T-401-1S.....	397	T-432-15.....	380	T-75-17.....	429
T-201.....	427	T-401-SVF.....	397	T-433.....	395	T-76-B.....	429
T-300.....	426	T-402.....	379	T-433-1.....	395	T-80.....	368
T-300X.....	426	T-402-2.....	379, 395	T-433-2.....	395	T-9-1.....	429
T-301.....	426	T-403.....	380	T-440-32.....	391	T-9-3.....	429
T-400.....	377, 379-381, 383, 388	T-403-2.....	380, 395	T-440-78R.....	388, 394	T-9-G.....	429
T-400-1.....	379-380	T-440-79R.....	394	TA-1002.....	411, 415
T-400-10.....	360, 368, 371, 379, 382,	T-440-80R.....	394	TA-1004.....	415

Index

Alpha/Numeric

TC-20.....	400	7.57E-308.....	127	4305.....	266	11093.....	95
TF3359.....	250	7.57E-306.....	127	4315.....	267, 307	11100.....	91
TF3409.....	251	3.36E-304.....	118	4316.....	267	11205.....	95
TF3459.....	252	7.57E-304.....	127	4325.....	266	11208.....	96
TF3509.....	251	3.36E-302.....	118	4355.....	268	11212.....	96
TF3529.....	253	7.57E-302.....	127	4365.....	268	11219.....	96
TF3559.....	250	3.36E-300.....	118	4375.....	269	11223.....	95
TF3569.....	252	3.36E-204.....	118	4405.....	269	11224.....	96
TF3609.....	254	3.36E-200.....	118	4505.....	269	11486.....	95
TF3709.....	254	6.93E-129.....	113	4506.....	270	13000.....	88
TF3759.....	255	4.70E-128.....	121	4515.....	270	22550.....	349
TF3805.....	255	6.92E-121.....	113	4525.....	269	22566.....	349
TF3959.....	256	4.70E-120.....	121	4535.....	271	38097.....	94
TF5355.....	286	6.92E-117.....	113	4629.....	273, 408	38166.....	94, 407
TF5356.....	287	4.70E-116.....	121	4640.....	265	38353.....	93, 407
TF5365.....	288	1.60E-115.....	106	4705.....	271	41157.....	285, 314
TF5375.....	288	6.92E-113.....	113	4706.....	272	71731.....	362
TF5405.....	290	3.36E-112.....	117	4707.....	272	73014.....	276
TF5406.....	295	4.70E-112.....	121	4715.....	271	75001.....	362
TF5425.....	289	1.20E-111.....	106	4716.....	272	75002.....	362
TF5435.....	291	6.91E-109.....	113	4726.....	273	75003.....	362
TF5455.....	292	6.92E-109.....	113	4924.....	265	75005.....	362
TF5505.....	289	3.36E-108.....	117	4955.....	273	75008.....	362
TF5506.....	292	4.70E-108.....	121	5719.....	300	75009.....	362
TF5515.....	294-295	6.91E-105.....	113	5737.....	301	75010.....	362
TF5525.....	291	3.36E-104.....	117	5967.....	302	75011.....	362
TF5605.....	299	4.70E-104.....	121	6202.....	408	75012.....	362
TF5655.....	300	6.91E-103.....	113	6203.....	407	75013.....	362
TF5705.....	296	3.36E-102.....	117	6205.....	407	75015.....	362
TF5706.....	298	6.90E-101.....	113	6207.....	103	75016.....	362
TF5707.....	300	6.91E-101.....	113	7015.....	318	75017.....	362
TF5715.....	301	3.36E-100.....	117	7033.....	306	75020.....	362
TF5716.....	299	6.90E-99.....	113	7105.....	317	75074.....	362
TF5725.....	301	3.36E-98.....	117	7129.....	318	75075.....	362
TF5726.....	298	3.36E-58.....	118	7165.....	304, 317, 411	75076.....	362
TF5755.....	296	3.36E-54.....	118	7205.....	320	75077.....	362
TF5805.....	297	3.36E-52.....	118	7229.....	318	75081.....	362
TF5955.....	302	3.36E-50.....	118	7237.....	306	75086.....	362
TH-14.....	426	252.....	408	7238.....	306	75087.....	362
TH-8.....	426	1360.....	107, 109, 207-208	7255.....	320	75088.....	362
W05465.....	249	1361.....	107, 109, 207-208	7305.....	319	75099.....	362
W05498-W05499.....	249	1390.....	139, 194	7306.....	319	75113.....	362
W05730.....	249	1391.....	195	7315.....	321	75116.....	362
W1206.....	91	1460.....	207-208	7325.....	319	75701.....	131
W1212.....	91	1461.....	207-208	7355.....	321	75702.....	131
W14630.....	92, 403	1484.....	207-208	7405.....	322	75704.....	131
W1512.....	91	1512.....	314	7455.....	322	75706.....	131
W17709.....	249	1538.....	188	7505.....	321	75729.....	132
W21204.....	249	1539.....	188	7515.....	322	75730.....	132
W23464.....	249	1540.....	188	7605.....	324	75731.....	132
W44034-W44067.....	90	1548.....	405	7629.....	256, 302, 325, 408	75732.....	132
W44235-W44252.....	90	2003.....	329	7655.....	324	75750.....	133
W67157.....	91	2004.....	314	7705.....	323	75751.....	133
W76150.....	92, 403	2004.....	328	7715.....	325	75760.....	133
W79850.....	92, 403	2005.....	328	7716.....	324	75761.....	133
W79851.....	92, 403	2006.....	328	7755.....	323	81430.....	96
W-EQCR-TD002-E.....	380	2007.....	329	7805.....	323	90607.....	362
W-EQCR-TD003-E.....	360	2008.....	326	7924.....	318	202113.....	281
W-EQCR-TE002-E.....	383	2009.....	328	7955.....	325	202114.....	281
W-EQCR-TE006-E.....	382	2010.....	328	8112.....	317	203006.....	297
W-EQCR-TE007-E.....	383	2012.....	327	8165.....	317	203103.....	297
W-EQCR-TE009-E.....	371	2013.....	326	8374.....	404	203104.....	298
W-EQCR-TE010-E.....	371	2014.....	328	9100.....	258, 285	203301.....	297
W-EQCR-TE010-E.....	383	2015.....	248, 327	9151.....	261	208007.....	256
W-EQCR-TE011-E.....	369	2016.....	327	9154.....	259	221501.....	279
W-EQCR-TE012-E.....	376	2017.....	327	9205.....	257	500454.....	293
W-EQCR-TE014-E.....	383	2018.....	329	9255.....	258	504095.....	293
W-EQCR-TM004-E.....	382	2019.....	329	9315.....	258	00904B.....	186
W-EQCR-TM008-E.....	371	2020.....	327	9355.....	259	03912K.....	199
W-EQCR-TM013-E.....	376	2063.....	311	9365.....	260	03916K.....	199
WTT024-WTT036.....	90	2084.....	248	9385.....	259	03920K.....	199
WTT224-WTT236.....	90	2240.....	282	9405.....	260	03E-354.....	108
WTT824-WTT836.....	90	2244.....	295	9406.....	262	03E-604.....	108
WTY024-WTY048.....	90	2247.....	250	9435.....	262	04E-04L.....	108
WTY224-WTY248.....	90	2249.....	291	9455.....	261	04E-10X.....	106
WTY824-WTY848.....	90	2252.....	253	9456.....	262	04E-354.....	108
ZW747.....	216	2256.....	255	9515.....	261	04E-50X.....	107
ZW74706.....	132	2257.....	254	9705.....	262	04E-60X.....	108
ZW74708.....	132	4105.....	265	11041.....	96	04E-64X.....	111
ZW74710.....	132	4129.....	266	11076.....	95	04E-66X.....	110
ZW74712.....	132	4165.....	265	11078.....	96	04E-68X.....	110
ZW747x.....	243	4205.....	268	11079.....	95	04E-74P.....	111
ZW747XX.....	409	4213.....	267, 283	11080.....	96	04E-A2X.....	112
03E-10X.....	106	4229.....	266	11089.....	96	04E-A64.....	112

Index

Alpha/Numeric

APPLICATION DATA	04E-B0X107	04Z-06F183	06908E113-116	06U-P06146
	04E-B4X109	04Z-08A182	06910D196-197	06U-P08146
	04E-B6X110	04Z-08C181	06910E113-116	06U-P10146
	04E-J04106	04Z-08F183	06912D196-197	06U-P56142
	04E-L6X110	04Z-102170	06912E113-116	06U-P58142
	04E-S6X109	04Z-104170	06916D196-197	06U-R06145
	04S-104140	04Z-106170	06916E113-116	06U-R08145
	04S-604140	04Z-10E182	06920D196-197	06U-R66158
	04U-04L149	04Z-10F183	06920E113-114, 116	06U-R68158
	04U-04S150	04Z-14K184	06924D196-197	06U-R70158
	04U-054147	04Z-154181	06924E113-116	06U-S64149
	04U-06C148	04Z-254170	06932D196-197	06U-S66149
	04U-08A142	04Z-354180	06932E-632114	06U-S68149
	04U-08C148	04Z-404173	06940T196-197	06U-T06151
	04U-08D152	04Z-405173	06E-06L108	06U-X60155
	04U-08F143	04Z-44P180	06E-10X106	06Z-06L184
	04U-102141	04Z-504173	06E-35X108	06Z-06S176
	04U-104141	04Z-505173	06E-406108	06Z-08S176
	04U-106141	04Z-506173	06E-466111	06Z-104170
	04U-108141	04Z-58C182	06E-50X107	06Z-106170
	04U-10A142	04Z-603171	06E-60X108	06Z-108170
	04U-10C148	04Z-604171	06E-64X111	06Z-10A182
	04U-10D152	04Z-605171	06E-68X110	06Z-10C181
	04U-10F143	04Z-606171	06E-75X107	06Z-12A182
	04U-14K148	04Z-60C182	06E-76P111	06Z-12C181
	04U-154142	04Z-60E183	06E-A2X112	06Z-12E182
	04U-2XX146-147	04Z-644173	06E-A6X112	06Z-12F183
	04U-354149	04Z-645173	06E-B0X107	06Z-14E182
	04U-356149	04Z-664172	06E-B4X109	06Z-14F183
	04U-38T151	04Z-665172	06E-B6X110	06Z-156181
	04U-40T151	04Z-666172	06E-J06106	06Z-18K184
	04U-44P154	04Z-684172	06E-L66110	06Z-256170
	04U-504144	04Z-685172	06E-S6X109	06Z-356180
	04U-505144	04Z-686172	06S-106140	06Z-358180
	04U-506144	04Z-6PW185	06S-606140	06Z-404173
	04U-554158	04Z-74P180	06U-056147	06Z-406173
	04U-58C148	04Z-A24175	06U-06L149	06Z-408173
	04U-58D156	04Z-A26175	06U-06P150	06Z-46P180
	04U-604147	04Z-A64176	06U-06S150	06Z-506173
	04U-605147	04Z-A66176	06U-08P150	06Z-508173
	04U-606147	04Z-A68176	06U-104141	06Z-604171
	04U-60C148	04Z-B04177	06U-106141	06Z-605171
	04U-60D156	04Z-B44177	06U-108141	06Z-606171
	04U-62C148	04Z-B64177	06U-10A142	06Z-608171
	04U-6XX153, 155-156	04Z-BCXX338	06U-10C148	06Z-62C182
	04U-74P157	04Z-E64176	06U-10D152	06Z-62E183
	04U-754145	04Z-J04171	06U-10F143	06Z-646173
	04U-755145	04Z-L64175	06U-12A142	06Z-648173
	04U-A24157	04Z-L66175	06U-12C148	06Z-64C182
	04U-A26157	04Z-P04174	06U-12D152	06Z-64E183
	04U-A64158	04Z-P05174	06U-12F143	06Z-666172
	04U-A66158	04Z-P06174	06U-14F143	06Z-668172
	04U-B03144	04Z-P54181	06U-156142	06Z-686172
	04U-B04144	04Z-S64174	06U-18K148	06Z-688172
	04U-B05144	04Z-S66174	06U-1XX436	06Z-6PW185
	04U-B43152	05703B-102187	06U-204146	06Z-76P180
	04U-B44152	05704B187-188, 408	06U-206146	06Z-78P180
	04U-B45152	05705B187-188	06U-256147	06Z-A24175
	04U-B63154	05706B187-188, 408	06U-306144	06Z-A26175
	04U-B64154	05708P-408134	06U-356149	06Z-A28175
	04U-B65154	05710B187-188	06U-358149	06Z-A66176
	04U-C34146	05710P-410134	06U-406148	06Z-A68176
	04U-E64143	05712B-108187	06U-40T151	06Z-B04177
	04U-J04143	05E-10X106	06U-42T151	06Z-B05177
	04U-J34157	05E-406108	06U-4XX151-152, 154-155, 436	06Z-B06177
	04U-J36157	05E-505107	06U-5XX144	06Z-B44177
	04U-J38157	05E-606108	06U-6XX147-149, 153, 155-156, 436-437	06Z-B46177
	04U-L64154	05E-646111	06U-7XX145, 157, 436-437	06Z-B64177
	04U-L66154	05E-66X110	06U-9XX152, 156	06Z-B65177
	04U-M04155	05E-686110	06U-AXX157-158	06Z-B66177
	04U-P04146	05E-756107	06U-BXX144, 152, 436-437	06Z-BCXX338
	04U-P05146	05E-A26112	06U-C36146	06Z-E66176
	04U-P06146	05E-A66112	06U-E66143	06Z-E68176
	04U-P54142	05E-B05107	06U-E68143	06Z-J06171
	04U-R04145	05E-J04106	06U-J04143	06Z-J08171
	04U-R66158	05E-L66110	06U-J06143	06Z-L64175
	04U-S64149	05E-S66109	06U-J08143	06Z-L66175
	04U-S66149	06904D196-197	06U-J36157	06Z-L68175
	04U-S68149	06904E113-116	06U-J38157	06Z-P06174
	04U-T04151	06905D196-197	06U-L06151	06Z-P08174
	04Z-04L184	06905E113-116	06U-L66154	06Z-P56181
	04Z-04S176	06906D196-197	06U-L68154	06Z-P58181
	04Z-06A182	06906E113-116	06U-M04155	06Z-S64174
	04Z-06C181	06908D196-197	06U-M06155	06Z-S66174

Index

Alpha/Numeric

06Z-S68.....	174	08U-G08.....	150	08Z-L70.....	175	10Z-50P.....	180
08E-08L.....	108	08U-G41.....	153	08Z-L72.....	175	10Z-510.....	173
08E-10X.....	106	08U-G71.....	158	08Z-P08.....	174	10Z-512.....	173
08E-3XX.....	108	08U-J06.....	143	08Z-P10.....	174	10Z-608.....	171
08E-50X.....	107	08U-J08.....	143	08Z-P12.....	174	10Z-610.....	171
08E-60X.....	108	08U-J36.....	157	08Z-P58.....	181	10Z-612.....	171
08E-648.....	111	08U-J38.....	157	08Z-S66.....	174	10Z-650.....	173
08E-650.....	111	08U-J42.....	157	08Z-S68.....	174	10Z-670.....	172
08E-668.....	110	08U-L50.....	153	08Z-S70.....	174	10Z-672.....	172
08E-670.....	110	08U-L66.....	154	08Z-S72.....	174	10Z-690.....	172
08E-688.....	110	08U-L68.....	154	08E-YXX.....	107	10Z-692.....	172
08E-690.....	110	08U-L70.....	154	10004B.....	189-191, 409	10Z-70C.....	182
08E-758.....	107	08U-M08.....	155	10005B.....	189-191, 409	10Z-70E.....	183
08E-78P.....	111	08U-P08.....	146	10006B.....	189-191, 409	10Z-80P.....	180
08E-A68.....	112	08U-P10.....	146	10008B.....	189-191, 409	10Z-A30.....	175
08E-B08.....	107	08U-P12.....	146	10010B.....	189-190	10Z-A32.....	175
08E-B48.....	109	08U-P56.....	142	10012B.....	189-191	10Z-A70.....	176
08E-B50.....	109	08U-P58.....	142	10404N.....	200-202	10Z-BCXX.....	338
08E-B68.....	110	08U-R08.....	145	10406N.....	200-202	10Z-G09.....	185
08E-J08.....	106	08U-R10.....	145	10408N.....	200-202	10Z-G12.....	178
08E-L68.....	110	08U-R12.....	145	10412N.....	200-202	10Z-G42.....	178
08E-SXX.....	109	08U-R68.....	158	10416N.....	200-202	10Z-G69.....	185
08E-TXX.....	109	08U-R70.....	158	10502B.....	192	10Z-G72.....	179
08S-108.....	140	08U-R72.....	158	10503B.....	192	10Z-G99.....	185
08S-608.....	140	08U-S66.....	149	10504B.....	192	10Z-L70.....	175
08S-610.....	140	08U-S68.....	149	10505B.....	192	10Z-L72.....	175
08U-058.....	147	08U-S70.....	149	10506B.....	192	10Z-P10.....	174
08U-08L.....	149	08U-S72.....	149	10508B.....	192	10Z-P12.....	174
08U-08P.....	150	08U-T08.....	151	10510B.....	192	10Z-S68.....	174
08U-08S.....	150	08U-X60.....	155	10512B.....	192	10Z-S70.....	174
08U-104.....	141	08Z-08L.....	184	10U-106.....	141	10Z-S72.....	174
08U-106.....	141	08Z-08S.....	176	10U-108.....	141	11215-11217.....	95
08U-108.....	141	08Z-104.....	170	10U-112.....	141	11312-11358.....	92
08U-112.....	141	08Z-106.....	170	10U-12L.....	149	11461-11478.....	95
08U-12P.....	150	08Z-108.....	170	10U-18A.....	142	12E-12L.....	108
08U-158.....	142	08Z-112.....	170	10U-18C.....	148	12E-362.....	108
08U-15A.....	142	08Z-158.....	181	10U-18D.....	152	12E-412.....	108
08U-15C.....	148	08Z-15A.....	182	10U-20F.....	143	12E-512.....	107
08U-15D.....	152	08Z-15C.....	181	10U-24K.....	148	12E-612.....	108
08U-16F.....	143	08Z-16E.....	182	10U-360.....	149	12E-652.....	111
08U-208.....	146	08Z-16F.....	183	10U-48T.....	151	12E-672.....	110
08U-22K.....	148	08Z-22K.....	184	10U-508.....	144	12E-692.....	110
08U-258.....	147	08Z-258.....	170	10U-50P.....	154	12E-82P.....	111
08U-358.....	149	08Z-358.....	180	10U-50T.....	151	12E-A32.....	112
08U-360.....	149	08Z-408.....	173	10U-510.....	144	12E-J12.....	106
08U-45T.....	151	08Z-410.....	173	10U-512.....	144	12E-L72.....	110
08U-46T.....	151	08Z-48P.....	180	10U-608.....	147	12E-S72.....	109
08U-48P.....	154	08Z-508.....	173	10U-610.....	147	12E-TXX.....	109
08U-508.....	144	08Z-510.....	173	10U-612.....	147	12E-X92.....	109
08U-510.....	144	08Z-512.....	173	10U-670.....	156	12E-YXX.....	107
08U-512.....	144	08Z-608.....	171	10U-672.....	156	12S-112.....	140
08U-558.....	158	08Z-610.....	171	10U-68D.....	156	12S-612.....	140
08U-560.....	158	08Z-612.....	171	10U-690.....	153	12U-062.....	147
08U-606.....	147	08Z-616.....	171	10U-692.....	153	12U-108.....	141
08U-608.....	147	08Z-648.....	173	10U-70C.....	148	12U-112.....	141
08U-610.....	147	08Z-650.....	173	10U-70E.....	156	12U-116.....	141
08U-612.....	147	08Z-666.....	172	10U-80P.....	157	12U-12L.....	149
08U-616.....	147	08Z-668.....	172	10U-A30.....	157	12U-12P.....	150
08U-648.....	155	08Z-66C.....	182	10U-A32.....	157	12U-12S.....	150
08U-650.....	155	08Z-66E.....	183	10U-A70.....	158	12U-162.....	142
08U-65D.....	156	08Z-670.....	172	10U-E70.....	143	12U-20F.....	143
08U-668.....	156	08Z-688.....	172	10U-E72.....	143	12U-212.....	146
08U-66C.....	148	08Z-690.....	172	10U-G09.....	150	12U-22A.....	142
08U-66E.....	156	08Z-A26.....	175	10U-G69.....	154	12U-22C.....	148
08U-670.....	156	08Z-A28.....	175	10U-J40.....	157	12U-22D.....	152
08U-688.....	153	08Z-A30.....	175	10U-L22.....	151	12U-25F.....	143
08U-690.....	153	08Z-A32.....	175	10U-L70.....	154	12U-262.....	147
08U-758.....	145	08Z-A68.....	176	10U-L72.....	154	12U-30K.....	148
08U-760.....	145	08Z-A70.....	176	10U-P08.....	146	12U-312.....	144
08U-78P.....	157	08Z-B08.....	177	10U-P10.....	146	12U-362.....	149
08U-80P.....	157	08Z-B48.....	177	10U-P12.....	146	12U-412.....	148
08U-A26.....	157	08Z-B68.....	177	10U-P60.....	142	12U-510.....	144
08U-A28.....	157	08Z-BCXX.....	338	10U-R08.....	145	12U-512.....	144
08U-A30.....	157	08Z-E68.....	176	10U-S70.....	149	12U-514.....	144
08U-A32.....	157	08Z-G08.....	178	10U-S72.....	149	12U-516.....	144
08U-A68.....	158	08Z-G12.....	178	10U-T10.....	151	12U-52P.....	154
08U-A70.....	158	08Z-G41.....	178	10Z-108.....	170	12U-52T.....	151
08U-B08.....	144	08Z-G42.....	178	10Z-112.....	170	12U-55T.....	151
08U-B10.....	144	08Z-G71.....	179	10Z-18C.....	181	12U-560.....	158
08U-B48.....	152	08Z-G72.....	179	10Z-20A.....	182	12U-562.....	158
08U-B68.....	154	08Z-J06.....	171	10Z-20E.....	182	12U-564.....	158
08U-E68.....	143	08Z-J08.....	171	10Z-20F.....	183	12U-610.....	147
08U-E70.....	143	08Z-L66.....	175	10Z-24K.....	184	12U-612.....	147
08U-E72.....	143	08Z-L68.....	175	10Z-360.....	180	12U-614.....	147

Index

Alpha/Numeric

APPLICATION DATA			
LOW & MEDIUM PRESSURE HOSE	12U-616.....147	12Z-BCXX.....338	16U-A40.....157
12U-652.....155	12Z-E72.....176	16U-A76.....158	20U-36K.....148
12U-670.....156	12Z-E76.....176	16U-E76.....143	20U-370.....149
12U-672.....156	12Z-G12.....178	16U-G16.....150	20U-520.....144
12U-692.....153	12Z-G16.....178	16U-G20.....150	20U-60P.....154
12U-696.....153	12Z-G20.....178	16U-G46.....153	20U-620.....147
12U-70C.....148	12Z-G42.....178	16U-G50.....153	20U-677.....156
12U-72D.....156	12Z-G46.....178	16U-G76.....158	20U-770.....145
12U-75C.....148	12Z-G72.....179	16U-G80.....158	20U-85D.....156
12U-75E.....156	12Z-G76.....179	16U-J16.....143	20U-88C.....148
12U-762.....145	12Z-G80.....179	16U-J46.....157	20U-90P.....157
12U-82P.....157	12Z-J12.....171	16U-J50.....157	20U-A40.....157
12U-A30.....157	12Z-L72.....175	16U-L72.....154	20U-A44.....157
12U-A32.....157	12Z-P12.....174	16U-L76.....154	20U-A80.....158
12U-A36.....157	12Z-P16.....174	16U-L80.....154	20U-AB4.....158
12U-A72.....158	12Z-P62.....181	16U-P16.....146	20U-E80.....143
12U-E72.....143	12Z-S70.....174	16U-P66.....142	20U-G20.....150
12U-E76.....143	12Z-S72.....174	16U-S72.....149	20U-G24.....150
12U-G12.....150	12Z-S76.....174	16U-S76.....149	20U-G50.....153
12U-G16.....150	1300411-1300611.....88	16U-S80.....149	20U-G80.....158
12U-G42.....153	13004-13006.....89	16U-T16.....151	20U-G84.....158
12U-G46.....153	13004J-13006JJ.....88	16Z-112.....170	20U-J50.....157
12U-G72.....158	13004JJ-13006JJ.....88	16Z-116.....170	20U-L80.....154
12U-G76.....158	140-05485-01.....376	16Z-120.....170	20U-P20.....146
12U-J12.....143	140-06601.....376	16Z-166.....181	20U-P67.....142
12U-J40.....157	140-06741.....383	16Z-16L.....184	20U-S80.....149
12U-J42.....157	140-06745.....382	16Z-16S.....176	20Z-116.....170
12U-L70.....154	140-06748.....382	16Z-28A.....182	20Z-120.....170
12U-L72.....154	140-06761.....396	16Z-28C.....181	20Z-20L.....181, 184
12U-L76.....154	140-06894.....376	16Z-30E.....182	20Z-20S.....176
12U-M12.....155	140-06906.....376	16Z-30F.....183	20Z-35A.....182
12U-P10.....146	1538-1540.....104	16Z-33K.....184	20Z-35C.....181
12U-P12.....146	16E-366.....108	16Z-366.....180	20Z-36K.....184
12U-P16.....146	16E-516.....107	16Z-516.....173	20Z-370.....180
12U-P62.....142	16E-616.....108	16Z-56P.....180	20Z-520.....173
12U-R10.....145	16E-656.....111	16Z-612.....171	20Z-60P.....180
12U-R72.....158	16E-676.....110	16Z-616.....171	20Z-616.....171
12U-S70.....149	16E-696.....110	16Z-620.....171	20Z-620.....171
12U-S72.....149	16E-A36.....112	16Z-656.....173	20Z-657.....173
12U-S76.....149	16E-L76.....110	16Z-676.....172	20Z-677.....172
12U-T12.....151	16E-S76.....109	16Z-696.....172	20Z-697.....172
12U-X60.....155	16L-16L.....108	16Z-80C.....182	20Z-90P.....180
12Z-108.....170	16S-116.....140	16Z-80E.....183	20Z-A40.....175
12Z-112.....170	16S-616.....140	16Z-86P.....180	20Z-A80.....176
12Z-116.....170	16U-066.....147	16Z-A36.....175	20Z-G16.....178
12Z-12L.....184	16U-112.....141	16Z-A40.....175	20Z-G20.....178
12Z-12S.....176	16U-116.....141	16Z-A76.....176	20Z-G24.....178
12Z-162.....181	16U-166.....142	16Z-BCXX.....338	20Z-G32.....178
12Z-22A.....182	16U-16L.....149	16Z-G16.....178	20Z-G46.....178
12Z-22C.....181	16U-16S.....150	16Z-G20.....178	20Z-G50.....178
12Z-25E.....182	16U-266.....147	16Z-G46.....178	20Z-G54.....178
12Z-25F.....183	16U-28A.....142	16Z-G50.....178	20Z-G76.....179
12Z-262.....170	16U-28C.....148	16Z-G76.....179	20Z-G80.....179
12Z-30K.....184	16U-28D.....152	16Z-G80.....179	20Z-G84.....179
12Z-362.....180	16U-30F.....143	16Z-H03.....179	20Z-H04.....179
12Z-412.....173	16U-33K.....148	16Z-H04.....179	20Z-H64.....179
12Z-510.....173	16U-366.....149	16Z-J16.....171	20Z-L80.....175
12Z-512.....173	16U-514.....144	16Z-L76.....175	20Z-L84.....175
12Z-514.....173	16U-516.....144	16Z-P16.....174	20Z-P20.....174
12Z-516.....173	16U-520.....144	16Z-P66.....181	20Z-S80.....174
12Z-52P.....180	16U-56P.....154	16Z-S72.....174	20Z-S84.....174
12Z-610.....171	16U-58T.....151	16Z-S76.....174	21304N-102.....203
12Z-612.....171	16U-60T.....151	16Z-S80.....174	21304N-104.....203
12Z-614.....171	16U-612.....147	1909-1910.....92	21304N-604.....204
12Z-616.....171	16U-614.....147	1F40104.....237, 239, 409	21304N-664.....205
12Z-652.....173	16U-616.....147	1F40105.....237, 239, 409	21304N-684.....205
12Z-672.....172	16U-620.....147	1F40106.....239	21304N-B04.....203
12Z-676.....172	16U-656L33.....155	2018x.....243	21304N-E04.....205
12Z-692.....172	16U-676.....156	20S-120.....140	21304N-E05.....205
12Z-75C.....182	16U-677.....156	20S-120.....140	21304N-E44.....204
12Z-75E.....183	16U-696.....153	20S-620.....140	21305N-104.....203
12Z-82P.....180	16U-766.....145	20S-620.....140	21305N-605.....204
12Z-A30.....175	16U-78D.....156	20U-070.....147	21305N-665.....205
12Z-A32.....175	16U-80C.....148	20U-120.....141	21305N-685.....205
12Z-A36.....175	16U-80E.....156	20U-20S.....150	21305N-B05.....203
12Z-A72.....176	16U-86P.....157	20U-35C.....148	21305N-E05.....205
12Z-A76.....176	16U-A36.....157		21305N-E45.....204
			21306N-106.....203

Index

Alpha/Numeric

21306N-406.....	204	24706N-755.....	208	33603E-605.....	119	33806B-YXX.....	410
21306N-466.....	205	24706N-756.....	208	33603E-684.....	119	33806-C.....	194
21306N-486.....	205	24706N-758.....	208	33603E-J04.....	117	33806-D.....	195
21306N-606.....	204	24706N-806.....	207	33603E-P04.....	118	33806-E.....	194
21306N-666.....	205	24706N-B24.....	207	33604E-406.....	119	33806P-104.....	138
21306N-686.....	205	24706N-B25.....	207	33604E-504.....	118	33806P-106.....	138
21306N-B04.....	203	24706N-B26.....	207	33604E-505.....	118	33806P-108.....	138
21306N-B05.....	203	24706N-E04.....	209	33604E-604.....	119	33806P-406.....	138
21306N-B06.....	203	24706N-E05.....	209	33604E-605.....	119	33806P-J06.....	138
21306N-E04.....	205	24706N-E06.....	209	33604E-606.....	119	33806P-Y66.....	138
21306N-E05.....	205	24706N-T56.....	208	33604E-645.....	120	33806P-Y68.....	138
21306N-E06.....	205	24708B-Y56.....	207	33604E-664.....	120	33806P-Y76.....	139
21306N-E44.....	204	24708N.....	410	33604E-665.....	120	33808-A.....	195
21306N-E45.....	204	24708N-106.....	206	33604E-685.....	119	33808-B.....	195
21306N-E46.....	204	24708N-108.....	206	33604E-A24.....	120	33808B-Y08.....	194
21308N-108.....	203	24708N-308.....	207	33604E-J04.....	117	33808B-Y26.....	193
21308N-608.....	204	24708N-406.....	208	33604E-P05.....	118	33808B-Y28.....	193
21308N-668.....	205	24708N-508.....	206	33604E-P06.....	118	33808B-Y36.....	193
21308N-688.....	205	24708N-608.....	208	33604E-S64.....	119	33808B-Y38.....	193
21308N-B08.....	203	24708N-648.....	210	33606E-406.....	119	33808B-Y78.....	193
21308N-E08.....	205	24708N-668.....	210	33606E-506.....	118	33808B-Y86.....	194
21308N-E48.....	204	24708N-688.....	209	33606E-508.....	118	33808-C.....	194
21310N-108.....	203	24708N-B08.....	207	33606E-606.....	119	33808-D.....	195
21310N-610.....	204	24708N-T58.....	208	33606E-608.....	119	33808P-106.....	138
21312N-112.....	203	24710B-YXX.....	207, 410	33606E-646.....	120	33808P-108.....	138
21312N-412.....	204	24710N.....	410	33606E-648.....	120	33808P-408.....	138
21312N-612.....	204	24710N-108.....	206	33606E-666.....	120	33808P-Y68.....	138
21316N-116.....	203	24710N-112.....	206	33606E-668.....	120	33808P-Y76.....	139
21316N-616.....	204	24710N-310.....	207	33606E-686.....	119	33808P-Y78.....	139
21316N-X26.....	204	24710N-510.....	206	33606E-688.....	119	3700-1.....	362
22904P-404.....	135	24710N-608.....	208	33606E-A26.....	120	3901/3902L.....	431
22906P-406.....	135	24710N-610.....	208	33606E-B46.....	119	3901/3902S.....	431
22908P-408.....	135	24710N-650.....	210	33606E-J06.....	117	42504N-102.....	211
22910P-410.....	135	24710N-668.....	210	33606E-J08.....	117	42504N-104.....	211
24704N.....	410	24710N-670.....	210	33606E-M06.....	120	42504N-504.....	211
24704N-102.....	206	24710N-690.....	209	33606E-P06.....	118	42504N-505.....	211
24704N-104.....	206	24710N-T60.....	208	33606E-P08.....	118	42504N-506.....	211
24704N-304.....	207	24712B-Y62.....	207	33606E-S66.....	119	42504N-604.....	212
24704N-504.....	206	24712N-112.....	206	33608E-508.....	118	42504N-605.....	212
24704N-604.....	208	24712N-312.....	207	33608E-510.....	118	42504N-606.....	212
24704N-644.....	210	24712N-412.....	208	33608E-512.....	118	42504N-644.....	213
24704N-664.....	210	24712N-452.....	210	33608E-608.....	119	42504N-664.....	213
24704N-684.....	209	24712N-472.....	210	33608E-610.....	119	42504N-684.....	212
24704N-B04.....	207	24712N-492.....	209	33608E-650.....	120	42506N-104.....	211
24704N-E04.....	209	24712N-512.....	206	33608E-668.....	120	42506N-106.....	211
24704N-T54.....	208	24712N-612.....	208	33608E-670.....	120	42506N-406.....	212
24705N.....	410	24712N-652.....	210	33608E-688.....	119	42506N-506.....	211
24705N-104.....	206	24712N-672.....	210	33608E-690.....	119	42506N-508.....	211
24705N-305.....	207	24712N-692.....	209	33608E-A28.....	120	42506N-606.....	212
24705N-505.....	206	24716N-516.....	206	33608E-J08.....	117	42506N-608.....	212
24705N-605.....	208	24716N-616.....	208	33608E-M08.....	120	42506N-646.....	213
24705N-645.....	210	24716N-656.....	210	33608E-P08.....	118	42506N-666.....	213
24705N-665.....	210	24716N-676.....	210	33608E-P10.....	118	42506N-686.....	212
24705N-685.....	209	24716N-696.....	209	33608E-S68.....	119	42508N-106.....	211
24705N-B05.....	207	26504P-102.....	136	33612E-512.....	118	42508N-108.....	211
24705N-E05.....	209	26504P-104.....	136	33612E-612.....	119	42508N-112.....	211
24705N-E45.....	209	26504P-106.....	136	33612E-652.....	120	42508N-258.....	212
24705N-T55.....	208	26504P-202.....	136	33612E-670.....	120	42508N-508.....	211
24706N.....	410	26504P-204.....	136	33612E-672.....	120	42508N-510.....	211
24706N-104.....	206	26506P-102.....	136	33612E-692.....	119	42508N-608.....	212
24706N-106.....	206	26506P-104.....	136	33612E-A32.....	120	42508N-610.....	212
24706N-306.....	207	26506P-106.....	136	33612E-S72.....	119	42508N-648.....	213
24706N-406.....	208	26506P-108.....	136	33616E-616.....	119	42508N-668.....	213
24706N-444.....	210	26506P-202.....	136	33616E-676.....	120	42508N-670.....	213
24706N-446.....	210	26506P-204.....	136	33616E-S76.....	119	42508N-688.....	212
24706N-466.....	210	26506P-206.....	136	33806-A.....	195, 410	42508N-690.....	212
24706N-484.....	209	26508P-104.....	136	33806-B.....	195, 410	42512N-112.....	211
24706N-486.....	209	26508P-106.....	136	33806B-Y06.....	194	42512N-262.....	212
24706N-506.....	206	26508P-108.....	136	33806B-Y24.....	193	42512N-412.....	212
24706N-604.....	208	26508P-112.....	136	33806B-Y26.....	193	42512N-512.....	211
24706N-605.....	208	26508P-204.....	136	33806B-Y28.....	193	42512N-610.....	212
24706N-606.....	208	26508P-206.....	136	33806B-Y34.....	193	42512N-612.....	212
24706N-608.....	208	26508P-208.....	136	33806B-Y36.....	193	42512N-614.....	212
24706N-646.....	210	26512P-108.....	136	33806B-Y38.....	193	42512N-652.....	213
24706N-666.....	210	26512P-112.....	136	33806B-Y76.....	193	42512N-672.....	213
24706N-686.....	209	33603E-504.....	118	33806B-Y84.....	194	42512N-692.....	212
24706N-754.....	208	33603E-604.....	119	33806B-Y86.....	194	42512N-G12.....	212

Index

Alpha/Numeric

42512N-G42.....	213	43008U-G71L32.....	168	43012U-H52.....	166	43020U-D54.....	165
42512N-G72.....	213	43008U-G72.....	168	43012U-H53.....	166	43020U-D80.....	168
42512N-G76.....	213	43008U-G76.....	168	43012U-H62.....	166	43020U-D84.....	168
42516N-116.....	211	43008U-H01.....	164	43012U-H63.....	166	43020U-E80.....	160
42516N-516.....	211	43008U-H02.....	164	43012U-H64.....	166	43020U-G20.....	163
42516N-616.....	212	43008U-H21.....	164	43012U-H72.....	169	43020U-G24.....	163
42516N-676.....	213	43008U-H22.....	164	43012U-H73.....	169	43020U-G24L64.....	163
42516N-696.....	212	43008U-H51.....	166	43012U-H92.....	169	43020U-G32.....	163
42516N-G16.....	212	43008U-H52.....	166	43012U-L72.....	164	43020U-G50.....	165
42516N-G46.....	213	43008U-H61.....	166	43012U-P62.....	159	43020U-G54.....	165
42516N-G76.....	213	43008U-H62.....	166	43012U-S70.....	162	43020U-G80.....	168
42520N-120.....	211	43008U-H63.....	166	43012U-S72.....	162	43020U-G80L31.....	168
42520N-620.....	212	43008U-H91.....	169	43012U-S76.....	162	43020U-G80L40.....	168
42520N-G20.....	212	43008U-L68.....	164	43016U-112.....	159	43020U-G80L51.....	168
42520N-G50.....	213	43008U-L70.....	164	43016U-116.....	159	43020U-G80L66.....	168
42520N-G80.....	213	43008U-S68.....	162	43016U-120.....	159	43020U-G84.....	168
42520N-G84.....	213	43008U-S70.....	162	43016U-16S.....	162	43020U-G84L46.....	168
42524N-124.....	211	43010U-108.....	159	43016U-33K.....	162	43020U-H04.....	164
42524N-624.....	212	43010U-112.....	159	43016U-366.....	162	43020U-H05.....	164
42532N-132.....	211	43010U-510.....	160	43016U-516.....	160	43020U-H24.....	164
42532N-632.....	212	43010U-512.....	160	43016U-520.....	160	43020U-H25.....	164
43006U-06S.....	162	43010U-610.....	161	43016U-56P.....	163	43020U-H54.....	166
43006U-08S.....	162	43010U-612.....	161	43016U-612.....	161	43020U-H55.....	166
43006U-106.....	159	43010U-670.....	167	43016U-616.....	161	43020U-H64.....	166
43006U-108.....	159	43010U-672.....	167	43016U-620.....	161	43020U-H65.....	166
43006U-506.....	160	43010U-692.....	164	43016U-656L33.....	167	43020U-H84.....	169
43006U-508.....	160	43010U-A30.....	167	43016U-656L56.....	167	43020U-H85.....	169
43006U-604.....	161	43010U-A32.....	167	43016U-676.....	167	43020U-L80.....	164
43006U-606.....	161	43010U-D12.....	163, 165	43016U-676L22.....	167	43020U-P67.....	159
43006U-608.....	161	43010U-G12.....	163	43016U-696.....	164	43020U-S80.....	162
43006U-646.....	167	43010U-G42.....	165	43016U-80C.....	161	43024U-124.....	159
43006U-666.....	167	43010U-G72.....	168	43016U-86P.....	166	43024U-24S.....	162
43006U-668.....	167	43010U-L70.....	164	43016U-A36.....	167	43024U-524.....	160
43006U-686.....	164	43010U-P10.....	160	43016U-A76.....	167	43024U-624.....	161
43006U-688.....	164	43010U-P12.....	160	43016U-C66.....	165	43024U-678.....	167
43006U-A26.....	167	43010U-S68.....	162	43016U-D16.....	163	43024U-A44.....	167
43006U-A28.....	167	43010U-S70.....	162	43016U-D20.....	163	43024U-A84.....	167
43006U-A66.....	167	43010U-S72.....	162	43016U-D46.....	165	43024U-D24.....	163
43006U-A68.....	167	43012U-112.....	159	43016U-D50.....	165	43024U-D54.....	165
43006U-E66.....	160	43012U-116.....	159	43016U-D76.....	168	43024U-D84.....	168
43006U-E68.....	160	43012U-12S.....	162	43016U-D80.....	168	43024U-D92.....	168
43006U-L66.....	164	43012U-22C.....	161	43016U-E76.....	160	43024U-G24.....	163
43006U-L68.....	164	43012U-30K.....	162	43016U-G16.....	163	43024U-G32.....	163
43006U-P06.....	160	43012U-362.....	162	43016U-G20.....	163	43024U-G54.....	165
43006U-P06.....	160	43012U-512.....	160	43016U-G24.....	163	43024U-G62.....	165
43006U-S64.....	162	43012U-514.....	160	43016U-G46.....	165	43024U-G84.....	168
43006U-S66.....	162	43012U-516.....	160	43016U-G50.....	165	43024U-G84L58.....	168
43006U-S68.....	162	43012U-52P.....	163	43016U-G76.....	168	43024U-G84L67.....	168
43008U-08S.....	162	43012U-610.....	161	43016U-G76L21.....	168	43024U-G92.....	168
43008U-108.....	159	43012U-612.....	161	43016U-G76L46.....	168	43024U-G92L45.....	168
43008U-112.....	159	43012U-614.....	161	43016U-G80.....	168	43024U-G92L67.....	168
43008U-22K.....	162	43012U-616.....	161	43016U-G80L46.....	168	43024U-H05.....	164
43008U-358.....	162	43012U-652.....	167	43016U-G84.....	168	43024U-H06.....	164
43008U-508.....	160	43012U-672.....	167	43016U-H03.....	164	43024U-H25.....	164
43008U-510.....	160	43012U-692.....	164	43016U-H04.....	164	43024U-H26.....	164
43008U-606.....	161	43012U-70C.....	161	43016U-H23.....	164	43024U-H55.....	166
43008U-608.....	161	43012U-75C.....	161	43016U-H24.....	164	43024U-H56.....	166
43008U-610.....	161	43012U-82P.....	166	43016U-H53.....	166	43024U-H65.....	166
43008U-612.....	161	43012U-A30.....	167	43016U-H54.....	166	43024U-H66.....	166
43008U-648L36.....	167	43012U-A32.....	167	43016U-H63.....	166	43024U-H85.....	169
43008U-648L45.....	167	43012U-A72.....	167	43016U-H64.....	166	43024U-L84.....	164
43008U-650.....	167	43012U-C62.....	165	43016U-H83.....	169	43024U-S84.....	162
43008U-668.....	167	43012U-D12.....	163	43016U-J16.....	160	43032U-132.....	159
43008U-670.....	167	43012U-D16.....	163	43016U-L76.....	164	43032U-532.....	160
43008U-688.....	164	43012U-D42.....	165	43016U-P16.....	160	43032U-632.....	161
43008U-690.....	164	43012U-D46.....	165	43016U-P66.....	159	43032U-D32.....	163
43008U-A28.....	167	43012U-D72.....	168	43016U-S76.....	162	43032U-D62.....	165
43008U-A30.....	167	43012U-D76.....	168	43016U-S80.....	162	43032U-D92.....	168
43008U-A68.....	167	43012U-E72.....	160	43020U-120.....	159	43032U-G24.....	163
43008U-A70.....	167	43012U-G12.....	163	43020U-20S.....	162	43032U-G32.....	163
43008U-C60.....	165	43012U-G16.....	163	43020U-36K.....	162	43032U-G62.....	165
43008U-D08.....	163	43012U-G20.....	163	43020U-370.....	162	43032U-G84.....	168
43008U-D12.....	163	43012U-G42.....	165	43020U-520.....	160	43032U-G92.....	168
43008U-D41.....	165	43012U-G46.....	165	43020U-620.....	161	43032U-G92L65.....	168
43008U-D42.....	165	43012U-G72.....	168	43020U-624.....	161	43032U-G92L80.....	168
43008U-D71.....	168	43012U-G72L37.....	168	43020U-677.....	167	43032U-H06.....	164
43008U-D72.....	168	43012U-G72L50.....	168	43020U-80C.....	161	43032U-H26.....	164
43008U-E68.....	160	43012U-G76.....	168	43020U-A40.....	167	43032U-H56.....	166
43008U-G08.....	163	43012U-G76L31.....	168	43020U-A44.....	167	43032U-H66.....	166
43008U-G12.....	163	43012U-G80.....	168	43020U-A80.....	167	43032U-H86.....	169
43008U-G41.....	165	43012U-H02.....	164	43020U-A84.....	167	43604N-104.....	214
43008U-G42.....	165	43012U-H03.....	164	43020U-D20.....	163	43604N-504.....	214
43008U-G46.....	165	43012U-H22.....	164	43020U-D24.....	163	43604N-505.....	214
43008U-G71.....	168	43012U-H23.....	164	43020U-D50.....	165	43604N-604.....	215

Index

Alpha/Numeric

43604N-605.....	215	47020E-D80L47.....	125	75708E-388.....	129
43604N-606.....	215	47020E-D80L60.....	125	75708E-408.....	128
43604N-664.....	215	47020E-D84.....	125	75708E-468.....	131
43604N-684.....	215	47020E-G20.....	122	75708E-488.....	130
43606N-104.....	214	47020E-G50.....	124	75708E-756.....	127
43606N-106.....	214	47020E-G80.....	125	75708E-758.....	127
43606N-406.....	215	47020E-N25.....	123	75708E-760.....	127
43606N-506.....	214	47020E-N55.....	124	75708E-W08.....	127
43606N-508.....	214	47020E-S80.....	122	75708E-W49.....	129
43606N-606.....	215	47024E-374.....	122	75708E-W68.....	130
43606N-608.....	215	47024E-624.....	121	75708E-X08.....	130
43606N-666.....	215	47024E-D20.....	123	75708E-Y38.....	128
43608N-106.....	214	47024E-D24.....	123	75708E-Y40.....	128
43608N-108.....	214	47024E-D54.....	124	75708E-Y48.....	129
43608N-508.....	214	47024E-D80.....	125	75708E-Z08.....	127
43608N-510.....	214	47024E-D84.....	125	75708E-Z28.....	129
43608N-608.....	215	47024E-G24.....	122	75708E-Z49.....	128
43608N-610.....	215	47024E-G54.....	124	75708E-Z51.....	128
43608N-668.....	215	47024E-G84.....	125	75708E-Z59.....	128
43612N-112.....	214	47032E-375.....	122	75708E-Z66.....	130
43612N-612.....	215	47032E-632.....	121	75708E-Z68.....	130
43616N-116.....	214	47032E-G32.....	122	75708E-Z87.....	131
43616N-616.....	215	47032E-G62.....	124	75708E-Z89.....	131
4629x.....	243	47032E-G92.....	125	75708E-Z99.....	131
47008E-608.....	121	4SPXXW-1XX.....	356	75710E-390.....	129
47008E-688.....	123-124	4SPXXW-3XX.....	355	75710E-410.....	128
47008E-G08.....	122	4SPXXW-6XX.....	359	75710E-470.....	131
47008E-G41.....	124	4SPXXW-DXX.....	352	75710E-490.....	130
47008E-G71.....	125	4SPXXW-GXX.....	351	75710E-758.....	127
47012E-25F.....	121	4SPXXW-JXX.....	358	75710E-760.....	127
47012E-362.....	122	4SPXXW-KXX.....	353-354	75710E-W10.....	127
47012E-52P.....	123	4SPXXW-LXX.....	358	75710E-W51.....	129
47012E-612.....	121	4SPXXW-XXC.....	357	75710E-W70.....	130
47012E-616.....	121	4SPXXW-XXE.....	357	75710E-X10.....	130
47012E-672.....	124	4SPXXW-XXP.....	355	75710E-Y40.....	128
47012E-692.....	123	500xx.....	330	75710E-Y41.....	128
47012E-75C.....	122	545xx.....	330	75710E-Y49.....	129
47012E-82P.....	125	590xx.....	330	75710E-Z01.....	131
47012E-D12.....	123	600XX.....	332	75710E-Z10.....	127
47012E-D16.....	123	6203-012.....	199	75710E-Z12.....	127
47012E-D42.....	124	6203-016.....	199	75710E-Z30.....	129
47012E-D46.....	124	6203-024.....	199	75710E-Z51.....	128
47012E-D72.....	125	6203-6206.....	105	75710E-Z53.....	128
47012E-D76.....	125	645XX.....	332	75710E-Z61.....	128
47012E-G12.....	122	690XX.....	332	75710E-Z70.....	130
47012E-G16.....	122	6SP20W-88C.....	357	75710E-Z72.....	130
47012E-G42.....	124	6SP20W-88E.....	357	75710E-Z91.....	131
47012E-G72.....	125	6SPXXW-1XX.....	356	75712E-410.....	128
47012E-G76.....	125	6SPXXW-38E.....	357	75712E-412.....	128
47012E-S72.....	122	6SPXXW-3XX.....	355	75712E-470.....	131
47016E-30F.....	121	6SPXXW-6XX.....	359	75712E-472.....	131
47016E-366.....	122	6SPXXW-BDXX.....	353-354	75712E-490.....	130
47016E-56P.....	123	6SPXXW-DXX.....	352	75712E-492.....	130
47016E-616.....	121	6SPXXW-GXX.....	351	75712E-760.....	127
47016E-676.....	124	6SPXXW-JXX.....	358	75712E-762.....	127
47016E-696.....	123	6SPXXW-KXX.....	353	75712E-W10.....	127
47016E-80C.....	122	6SPXXW-KXX.....	354	75712E-W12.....	127
47016E-86P.....	125	6SPXXW-LXX.....	358	75712E-W51.....	129
47016E-D16.....	123	6SPXXW-XXP.....	355	75712E-W53.....	129
47016E-D20.....	123	75706E-406.....	128	75712E-X12.....	130
47016E-D24.....	123	75706E-408.....	128	75712E-Y41.....	128
47016E-D46.....	124	75706E-466.....	131	75712E-Y50.....	129
47016E-D50.....	124	75706E-486.....	130	75712E-Z01.....	131
47016E-D76.....	125	75706E-756.....	127	75712E-Z10.....	127
47016E-D80.....	125	75706E-758.....	127	75712E-Z12.....	127
47016E-D84.....	125	75706E-W06.....	127	75712E-Z30.....	129
47016E-G16.....	122	75706E-W47.....	129	75712E-Z32.....	129
47016E-G46.....	124	75706E-W66.....	130	75712E-Z51.....	128
47016E-G76.....	125	75706E-X06.....	130	75712E-Z53.....	128
47016E-N25.....	123	75706E-Y36.....	128	75712E-Z61.....	128
47016E-N63.....	124	75706E-Y38.....	128	75712E-Z70.....	130
47016E-S76.....	122	75706E-Y47.....	129	75712E-Z72.....	130
47016E-S80.....	122	75706E-Z06.....	127	75712E-Z91.....	131
47020E-370.....	122	75706E-Z08.....	127	75712E-Z93.....	131
47020E-38F.....	121	75706E-Z26.....	129	757XXE-YXX.....	367
47020E-620.....	121	75706E-Z47.....	128	757XXE-ZXX.....	367, 409
47020E-88C.....	122	75706E-Z49.....	128	7629x.....	243
47020E-A40.....	125	75706E-Z57.....	128	8370-8373.....	404
47020E-D20.....	123	75706E-Z66.....	130	8375-8378.....	404
47020E-D24.....	123	75706E-Z68.....	130		
47020E-D50.....	124	75706E-Z87.....	131		
47020E-D54.....	124	75706E-Z89.....	131		
47020E-D80.....	125	75706E-Z97.....	131		

Product Warranty

APPLICATION
DATA

LOW & MEDIUM
PRESSURE HOSE

For one year after date of purchase, Eaton warrants its products to be free from defects in materials and workmanship when properly installed and maintained. Products covered include those items contained in this catalog.

If during the warranty period, a product is discovered to be defective Eaton will, at its option, replace the warranted product or grant the purchaser a credit for the product claimed to be defective. Eaton will have the sole discretion to determine whether the product was defective.

This warranty is null and void if the product has been used in the wrong application or has been damaged from an accident or willfully destroyed. In addition, this warranty will not apply to Weatherhead assembly equipment, Weatherhead end fittings or Weatherhead hose if the claimed defective product has been used in an assembly made from other than Weatherhead parts.

NO WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, IS MADE BY EATON. THE FOREGOING STATES EATON'S ENTIRE AND EXCLUSIVE LIABILITY

AND BUYER'S EXCLUSIVE REMEDY FOR ANY CLAIM OR DAMAGES IN CONNECTION WITH THE SALE OF THE PRODUCTS HEREUNDER. IN NO EVENT SHALL EATON BE LIABLE FOR ANY SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES WHATSOEVER. SOME STATES DO NOT ALLOW FOR THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS. YOU MAY ALSO HAVE OTHER LEGAL RIGHTS WHICH VARY FROM STATE TO STATE.

CLAIM INFORMATION:
To make a warranty claim contact an Eaton Customer Service Representative at the address below.

Eaton
14615 Lone Oak Road
Eden Prairie, MN 55344
USA

Tel: 952 937-9800
Fax: 952 974-7722

<http://www.hydraulics.eaton.com/warranty>

HIGH PRESSURE HOSE

SPECIALTY HOSE

ACCESSORIES &
ASSEMBLY INSTRUCTIONS

ADAPTERS &
HOSE ENDS

HOSE ASSEMBLY
EQUIPMENT

TECHNICAL DATA