


Fuel and Lube Oil Systems



FC650 Engine Hose

Features:

- AQP® elastomer tube
- Single-wire braid reinforcement
- Color-stabilized polyester braid cover
- Unique crimp fitting design

Benefits:

- Superior temperature range for extended performance (-55°F to +300°F / -49°C to +150°C)
- Excellent service life performance; reduced bend radius
- Superior abrasion resistance; enhanced appearance
- Lightweight; low cost

Aeroquip FC650

AQP[®] Elevated Temperature Engine Hose



Specifications and Performance:

Part Number	Hose I.D. (mm/inch)	Hose O.D. (mm/inch)	Max. Oper. Press. (Bar/psi)	Min. Burst Press. (Bar/psi)	Min. Bend Radius (mm/in.)
FC650-04	4.8/.19	12.2/.48	69/1000	276/4000	19.1/.75
FC650-06	7.9/.25	16.0/.63	69/1000	276/4000	31.8/1.25
FC650-08	10.4/.41	18.8/.74	69/1000	276/4000	44.5/1.75
FC650-10	12.7/.50	21.1/.83	69/1000	276/4000	57.2/2.25
FC650-12	15.9/.62	25.2/.99	69/1000	276/4000	69.9/2.75

Operating Temperature Range:

- -55°F to +300°F
(-49°C to +150°C)
- Except air +250°F (+121°C)

Vacuum Rating (in/Hg):

- 28 (sizes -04 through -10)
- 20 (size -12)



Eaton Aeroquip
 Industrial Division
 3000 Strayer Road, P.O. Box 631
 Maumee, Ohio 43537-0631
 419/867-2600, Fax: 419/867-2629
 www.aeroquip.com



Specifications subject to change without notice